

Microsoft®

Step by Step

Microsoft®

Access® 2010

Build *exactly* the skills you need.
Learn at the pace *you* want.

Joyce Cox and Joan Lambert



Get
practice files and
complete eBook

See back

Microsoft®

Microsoft® Access® 2010

Step by Step

Joyce Cox
Joan Lambert

PUBLISHED BY
Microsoft Press
A Division of Microsoft Corporation
One Microsoft Way
Redmond, Washington 98052-6399

Copyright © 2010 by Online Training Solutions, Inc.

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Control Number: 2010928521

ISBN: 978-0-7356-2692-8

Printed and bound in the United States of America.

7 8 9 10 11 12 13 14 15 LSI 8 7 6 5 4 3

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office or contact Microsoft Press International directly at fax (425) 936-7329. Visit our Web site at www.microsoft.com/mspress. Send comments to mspinput@microsoft.com.

Microsoft and the trademarks listed at <http://www.microsoft.com/about/legal/en/us/IntellectualProperty/Trademarks/EN-US.aspx> are trademarks of the Microsoft group of companies. All other marks are property of their respective owners.

The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted herein are fictitious. No association with any real company, organization, product, domain name, e-mail address, logo, person, place, or event is intended or should be inferred.

This book expresses the author's views and opinions. The information contained in this book is provided without any express, statutory, or implied warranties. Neither the authors, Microsoft Corporation, nor its resellers, or distributors will be held liable for any damages caused or alleged to be caused either directly or indirectly by this book.

Acquisitions Editor: Juliana Aldous
Developmental Editor: Devon Musgrave
Project Editor: Joel Panchot
Editorial Production: Online Training Solutions, Inc.
Cover: Girvin

Body Part No. X16-95385

Contents

Introducing Microsoft Access 2010	ix
Modifying the Display of the Ribbon	xv
Features and Conventions of This Book	xxi
Using the Practice Files	xxiii
Your Companion eBook	xxiv
Getting Help	xxv

Part 1 **Simple Database Techniques** 1

1 Explore an Access 2010 Database	3
Working in Access 2010	4
Sidebar: Enabling Macros and Other Database Content	14
Understanding Database Concepts	16
Exploring Tables	17
Sidebar: Tabbed Pages vs. Overlapping Windows	22
Exploring Forms	24
Exploring Queries	29
Exploring Reports	33
Previewing and Printing Access Objects	38
Key Points	43
2 Create Databases and Simple Tables	45
Creating Databases from Templates	46
Sidebar: Web Databases	51
Creating Databases and Tables Manually	52
Sidebar: Database Design	60
Manipulating Table Columns and Rows	61
Refining Table Structure	64
Creating Relationships Between Tables	69
Key Points	75

What do you think of this book? We want to hear from you!

Microsoft is interested in hearing your feedback so we can continually improve our books and learning resources for you. To participate in a brief online survey, please visit:

microsoft.com/learning/booksurvey

3	Create Simple Forms	77
	Creating Forms by Using the Form Tool	78
	Changing the Look of Forms	85
	Changing the Arrangement of Forms	93
	Key Points	99
4	Display Data	101
	Sorting Information in Tables	102
	Sidebar: How Access Sorts	106
	Filtering Information in Tables	107
	Filtering Information by Using Forms	111
	Sidebar: Wildcards	115
	Locating Information That Matches Multiple Criteria	115
	Sidebar: Saving Filters as Queries	119
	Key Points	119
5	Create Simple Reports	121
	Creating Reports by Using a Wizard	122
	Modifying Report Design	129
	Previewing and Printing Reports	136
	Key Points	139

Part 2 Relational Database Techniques 141

6	Maintain Data Integrity	143
	Restricting the Type of Data	144
	Restricting the Amount of Data	149
	Restricting the Format of Data	151
	Sidebar: Creating Custom Formats	158
	Restricting Data by Using Validation Rules	159
	Sidebar: Simple Validation Tests	166

Restricting Data to Values in Lists	167
Sidebar: Multicolumn Lookup Lists	171
Restricting Data to Values in Other Tables	172
Sidebar: Multivalued Fields	177
Key Points	177
7 Create Custom Forms	179
Modifying Forms Created by Using a Wizard	180
Adding Controls	187
Adding Subforms	196
Sidebar: Different Types of Forms	204
Using E-Mail Forms to Collect Data	205
Key Points	207
8 Create Queries	209
Creating Queries by Using a Wizard	210
Creating Queries Manually	216
Using Queries to Summarize Data	221
Using Queries to Perform Calculations	224
Using Queries to Update Records	231
Using Queries to Delete Records	235
Key Points	239
9 Create Custom Reports	241
Creating Reports Manually	242
Modifying Report Content	247
Sidebar: Adding Hyperlinks, Charts, and Buttons	253
Adding Subreports	254
Sidebar: Layouts	260
Key Points	261

Part 3 **Database Management and Security** **263**

10	Import and Export Data	265
	Importing Information	266
	Importing from Other Access Databases.	267
	Importing from Excel Worksheets	268
	Importing from Text Files	268
	Importing from Other Database Programs.	269
	Importing from Outlook Folders.	269
	Importing from SharePoint Lists	269
	Importing from HTML Files	271
	Importing from XML Files	272
	Sidebar: Linking to Information.	281
	Exporting Information	282
	Exporting to Other Access Databases	283
	Exporting to Excel Worksheets	283
	Exporting to Word Documents	283
	Exporting to Text Files.	284
	Exporting to PDF and XPS Files.	284
	Exporting to SharePoint Lists.	285
	Exporting to HTML Files	285
	Exporting to XML Files	285
	Copying to and from Other Office Programs.	292
	Key Points	295
11	Make Databases User Friendly	297
	Creating Navigation Forms	298
	Creating Custom Categories	305
	Controlling Which Features Are Available.	309
	Key Points	313

12	Protect Databases	315
	Assigning Passwords to Databases	316
	Splitting Databases	320
	Securing Databases for Distribution	323
	Sidebar: Packaging and Signing Databases	326
	Preventing Database Problems	328
	Key Points	333
13	Customize Access	335
	Changing Default Program Options	336
	Sidebar: Using Add-Ins	345
	Customizing the Ribbon	346
	Customizing the Quick Access Toolbar	351
	Key Points	355
	Glossary	357
	Keyboard Shortcuts	363
	Index	393
	About the Authors	415

What do you think of this book? We want to hear from you!

Microsoft is interested in hearing your feedback so we can continually improve our books and learning resources for you. To participate in a brief online survey, please visit:

microsoft.com/learning/booksurvey

Introducing Microsoft Access 2010

Microsoft Access 2010 is a powerful relational database program that includes hundreds of tools you can use to quickly start tracking, sharing, and reporting information, even if you are new to database development. Users have access to a large library of professionally designed templates; wizards that automatically create tables, forms, queries, and reports; and extensive local and online help resources.

Access supports sharing data with other sources, including other Microsoft Office 2010 programs, Microsoft SQL Server, Windows SharePoint Services, and documents in XML, HTML, XPS, and PDF formats. Advanced features allow you to create sophisticated executable database applications that your employees and customers can use to gather and view data without needing to know anything at all about database design or development.

This book gives you straightforward instructions for using Access to create databases. It takes you from knowing little or nothing about Access—or, for that matter, about databases—to a level of expertise that will enable you to create complex databases for use by one person or by many people.

New Features

If you're upgrading to Access 2010 from a previous version, you're probably more interested in the differences between the old and new versions and how they will affect you than you are in the basic functionality of Access. To help you identify the entire scope of changes from the version of Access you're familiar with, we've listed here the new features introduced in Access 2010, as well as in Access 2007.

If You Are Upgrading from Access 2007

If you have been using Access 2007, you might be wondering how Microsoft could have improved on what seemed like a pretty comprehensive set of features and tools. In addition to enhancing many of the new features introduced with Access 2007, Access 2010 includes the following new features:

- **The Backstage view** Finally, all the tools you need to work with your files, as opposed to their content, really are accessible from one location. You display the Backstage view by clicking the File tab, which replaces the Microsoft Office Button at the left end of the ribbon.
- **Customizable ribbon** The logical next step in the evolution of the command center introduced with Access 2007: Create your own tabs and groups to suit the way you work.
- **Unifying themes** Adding pizzazz to database objects such as forms and reports is just a matter of applying a professional-looking theme from a gallery of options.
- **Web capabilities** Companies that have employees and clients in different geographic locations can publish databases to Access Services, thereby making those databases accessible over the Internet in a Web browser.
- **Navigation forms** Offering the sophisticated browsing techniques people are accustomed to using on Web sites, these new forms provide an essential navigation tool for Web databases, and can also increase the usability of non-Web databases.
- **New database templates** Getting started with the creation of common types of databases has never been easier. The databases that come with Access are supplemented by those made available by a community of database developers through Microsoft Office Online.
- **Application parts** You can now add predefined database objects to an existing database. In addition to 10 types of forms, several Quick Start parts are available. For example, adding the Contacts part adds one table and associated queries, forms, and reports.
- **Enhanced Layout view and layout controls** It is now easier to make design changes in Layout view while actively viewing the underlying data.
- **Enhanced Expression Builder** The layout of the Expression Builder dialog box has been refined to make building an expression more intuitive. In addition, a feature called *IntelliSense* has been incorporated to display options based on what you type and to provide syntax guidance.

- **Improved conditional formatting** You can now use data bars to add at-a-glance insight into the data in Number fields.
- **Ability to export to PDF and XPS files** When you want to make a report or other database object available to people but don't want them to be able to manipulate it, you can export the object in either PDF or XPS format. You can optimize the file size for printing or publishing online.

If You Are Upgrading from Access 2003

Access 2010 builds on Access 2007, which introduced a long list of new and improved features that made it easier than ever to create databases to track, share, manage, and audit information, including the following:

- **The ribbon** The new user interface organizes the most common commands for any database object into tabs and groups so that the appropriate commands are immediately accessible for the current object.
- **Quick Access Toolbar** Customize a portion of the toolbar to include commands you regularly use, regardless of which object is currently active.
- **Navigation pane** The customizable Navigation pane replaces the Database window from Access 2003. You can display or hide all tables, queries, forms, reports, macros, and modules, or create a custom group that displays only the objects you want to work with at the moment. You can even hide the Navigation pane to make more room on the screen for your database object.
- **View Shortcuts toolbar** This context-sensitive toolbar at the lower-right corner of the program window provides single-click switching among the supported views of the current database object. Quickly switch between Datasheet view, Design view, PivotTable view, PivotChart view, Form view, Layout view, Report view, and other views appropriate to the current object.
- **Tabbed documents** Open multiple database objects and switch between them quickly by clicking tabs on a tab bar.
- **Template library** Quickly locate and download professionally designed templates for common database projects.
- **Improved sorting and filtering** Easily sort all records in a table based on one or more fields, or filter a table or form to display or hide records matching multiple criteria.


- **Layout view** Redesign a form or report while viewing it.
- **Stacked and Tabular layouts** Group controls in a form or report layout so you can easily manipulate the entire group as one unit.
- **Automatic calendar** The Date/Time data type includes an optional calendar control. Click the calendar, and select the date you want.
- **Rich Text** Memo fields now support most common formatting options, including fonts, color, and character formatting. The formatting is stored with the database.
- **Create tab** Quickly create a new table, form, query, report, macro, SharePoint list, or other Access object.
- **Totals function** Add a totals row to a query, and select from a list of formulas to automatically calculate aggregate values for forms and reports.
- **Field List** Drag and drop fields from one or more related or unrelated tables onto your active table.
- **Attachment data type** Attach photos and other files to a database record.
- **Embedded macros** Macros embedded in a form or report offer a higher level of security in database applications.
- **Microsoft Access Help** Easily search end-user and developer help content from within Access.
- **Improved information sharing** Easily import and export data between Access and other Office applications or XML, HTML, PDF, and dBase files; collect information through e-mail surveys in Microsoft Office Outlook and automatically update your database with the responses; create or link a database with a SharePoint list; or publish your database to a SharePoint library and allow users to update and extract information.
- **Improved report design** Quickly create a professional-looking report, complete with logo, header, and footer; and use Report view, combined with filters, to browse only selected records in the report.
- **Group, Sort, and Total pane** This feature makes it much easier to group and sort data in reports, and add totals from a drop-down list.
- **Enhanced security** Adding password protection to a database now causes Access to automatically encrypt the database when it closes, and decrypt it when it opens.

Let's Get Started!

There are so many new and improved features to this already feature-rich program that there are bound to be some exciting discoveries for even the most advanced users. If you are new to Access, you will find many automated features that let you painlessly create databases and add queries, forms, and professional-looking reports to track and share your data. We look forward to showing you around Microsoft Access 2010.

Modifying the Display of the Ribbon

The goal of the Microsoft Office 2010 working environment is to make working with Office files—including Microsoft Word documents, Excel workbooks, PowerPoint presentations, Outlook e-mail messages, and Access databases—as intuitive as possible. You work with an Office file and its contents by giving commands to the program in which the document is open. All Office 2010 programs organize commands on a horizontal bar called the *ribbon*, which appears across the top of each program window whether or not there is an active document.



A typical program window ribbon.

Commands are organized on task-specific tabs of the ribbon, and in feature-specific groups on each tab. Commands generally take the form of buttons and lists. Some appear in galleries in which you can choose from among multiple options. Some groups have related dialog boxes or task panes that contain additional commands.

Throughout this book, we discuss the commands and ribbon elements associated with the program feature being discussed. In this section, we discuss the general appearance of the ribbon, things that affect its appearance, and ways of locating commands that aren't visible on compact views of the ribbon.


See Also For detailed information about the ribbon in Microsoft Access, see “Working in Access 2010” in Chapter 1, “Explore an Access 2010 Database.”

Tip Some older commands no longer appear on the ribbon, but are still available in the program. You can make these commands available by adding them to the Quick Access Toolbar. For more information, see “Customizing the Quick Access Toolbar” in Chapter 13, “Customize Access.”

Dynamic Ribbon Elements


The ribbon is dynamic, meaning that the appearance of commands on the ribbon changes as the width of the ribbon changes. A command might be displayed on the ribbon in the form of a large button, a small button, a small labeled button, or a list entry. As the width of the ribbon decreases, the size, shape, and presence of buttons on the ribbon adapt to the available space.

For example, when sufficient horizontal space is available, the buttons on the Review tab of the Word program window are spread out and you're able to see more of the commands available in each group.




The Review tab of the Word program window at 1024 pixels wide.

If you decrease the width of the ribbon, small button labels disappear and entire groups of buttons are hidden under one button that represents the group. Click the group button to display a list of the commands available in that group.



The Review tab of the Word program window at 675 pixels wide.

When the window becomes too narrow to display all the groups, a scroll arrow appears at its right end. Click the scroll arrow to display hidden groups.



The Review tab of the Word program window at 340 pixels wide.

Changing the Width of the Ribbon


The width of the ribbon is dependent on the horizontal space available to it, which depends on these three factors:

- **The width of the program window** Maximizing the program window provides the most space for ribbon elements. You can resize the program window by clicking the button in its upper-right corner or by dragging the border of a non-maximized window.

On a computer running Windows 7, you can maximize the program window by dragging its title bar to the top of the screen.

- **Your screen resolution** Screen resolution is the amount of information your screen displays, expressed as *pixels wide by pixels high*. The greater the screen resolution, the greater the amount of information that will fit on one screen. Your screen resolution options are dependent on your monitor. At the time of writing, possible screen resolutions range from 800 × 600 to 2048 × 1152. In the case of the ribbon, the greater the number of pixels wide (the first number), the greater the number of buttons that can be shown on the ribbon, and the larger those buttons can be.

On a computer running Windows 7, you can change your screen resolution from the Screen Resolution window of Control Panel.




You set the resolution by dragging the pointer on the slider.

- **The density of your screen display** You might not be aware that you can change the magnification of everything that appears on your screen by changing the screen magnification setting in Windows. Setting your screen magnification to 125% makes text and user interface elements larger on screen. This increases the legibility of information, but it means that less information fits onto each screen.


On a computer running Windows 7, you can change the screen magnification from the Display window of Control Panel.

See Also For more information about display settings, refer to *Windows 7 Step by Step* (Microsoft Press, 2009), *Windows Vista Step by Step* (Microsoft Press, 2006), or *Windows XP Step by Step* (Microsoft Press, 2002) by Joan Lambert Preppernau and Joyce Cox.



You can choose one of the standard display magnification options or create another by setting a custom text size.

The screen magnification is directly related to the density of the text elements on screen, which is expressed in dots per inch (dpi) or points per inch (ppi). (The terms are interchangeable, and in fact are both used in the Windows dialog box in which you change the setting.) The greater the dpi, the larger the text and user interface elements appear on screen. By default, Windows displays text and screen elements at 96 dpi. Choosing the Medium - 125% display setting changes the dpi of text and screen elements to 120 dpi. You can choose a custom setting of up to 500 percent magnification, or 480 dpi, in the Custom DPI Setting dialog box.



You can choose a magnification of up to 200 percent from the lists, or choose a greater magnification by dragging the ruler from left to right.

Adapting Exercise Steps

The screen images shown in the exercises in this book were captured at a screen resolution of 1024 × 768, at 100% magnification, and with the default text size (96 dpi). If any of your settings are different, the ribbon on your screen might not look the same as the one shown in the book. For example, you might see more or fewer buttons in each of the groups, the buttons you see might be represented by larger or smaller icons than those shown, or the group might be represented by a button that you click to display the group's commands.

When we instruct you to give a command from the ribbon in an exercise, we do it in this format:

- On the **Insert** tab, in the **Illustrations** group, click the **Chart** button.

If the command is in a list, we give the instruction in this format:

- On the **Page Layout** tab, in the **Page Setup** group, click the **Breaks** button and then, in the list, click **Page**.

The first time we instruct you to click a specific button in each exercise, we display an image of the button in the page margin to the left of the exercise step.

If differences between your display settings and ours cause a button on your screen to not appear as shown in the book, you can easily adapt the steps to locate the command. First, click the specified tab. Then locate the specified group. If a group has been collapsed into a group list or group button, click the list or button to display the group's commands. Finally, look for a button that features the same icon in a larger or smaller size than that shown in the book. If necessary, point to buttons in the group to display their names in ScreenTips.

If you prefer not to have to adapt the steps, set up your screen to match ours while you read and work through the exercises in the book.

Features and Conventions of This Book

This book has been designed to lead you step by step through all the tasks you're most likely to want to perform in Microsoft Access 2010. If you start at the beginning and work your way through all the exercises, you will gain enough proficiency to be able to manage complex databases through Access. However, each topic is self contained. If you have worked with a previous version of Access, or if you completed all the exercises and later need help remembering how to perform a procedure, the following features of this book will help you locate specific information:

- **Detailed table of contents** Scan the listing of the topics and sidebars within each chapter.
- **Chapter thumb tabs** Easily locate the beginning of each chapter by looking at the colored blocks on the odd-numbered pages.
- **Topic-specific running heads** Within a chapter, quickly locate a topic by looking at the running heads at the top of odd-numbered pages.
- **Glossary** Look up the meaning of a word or the definition of a concept.
- **Keyboard Shortcuts** If you prefer to work from the keyboard rather than with a mouse, find all the shortcuts in one place.
- **Detailed index** Look up specific tasks and features in the index, which has been carefully crafted with the reader in mind.

You can save time when reading this book by understanding how the Step by Step series shows exercise instructions, keys to press, buttons to click, and other information. These conventions are listed in the following table.

Convention	Meaning
SET UP	This paragraph preceding a step-by-step exercise indicates the practice files that you will use when working through the exercise. It also indicates any requirements you should attend to or actions you should take before beginning the exercise.
CLEAN UP	This paragraph following a step-by-step exercise provides instructions for saving and closing open files or programs before moving on to another topic. It also suggests ways to reverse any changes you made to your computer while working through the exercise.
1 2	Numbered steps guide you through hands-on exercises in each topic, as well as procedures in sidebars and expository text.
See Also	This paragraph directs you to more information about a topic in this book or elsewhere.
Troubleshooting	This paragraph alerts you to a common problem and provides guidance for fixing it.
Tip	This paragraph provides a helpful hint or shortcut that makes working through a task easier.
Important	This paragraph points out information that you need to know to complete a procedure.
Keyboard Shortcut	This paragraph provides information about an available keyboard shortcut for the preceding task.
Ctrl+B	A plus sign (+) between two keys means that you must press those keys at the same time. For example, "Press Ctrl+B" means that you should hold down the Ctrl key while you press the B key.
	Pictures of buttons appear in the margin the first time the button is used in an exercise.
Bold	In exercises that begin with SET UP information, bold type displays text that you should type; the names of program elements, such as buttons, commands, windows, and dialog boxes; and files, folders, or text that you interact with in the steps.

Using the Practice Files

Before you can complete the exercises in this book, you need to copy the book's practice files to your computer. These practice files, and other information, can be downloaded from the book's detail page, located at:

<http://go.microsoft.com/fwlink/?Linkid=192153>

Display the detail page in your Web browser and follow the instructions for downloading the files.

Important The Microsoft Access 2010 program is not available from this Web site. You should purchase and install that program before using this book.

The following table lists the practice files for this book.

Chapter	File
Chapter 1: Explore an Access 2010 Database	GardenCompany01_start.accdb
Chapter 2: Create Databases and Simple Tables	None
Chapter 3: Create Simple Forms	GardenCompany03_start.accdb Logo.png
Chapter 4: Display Data	GardenCompany04_start.accdb
Chapter 5: Create Simple Reports	GardenCompany05_start.accdb
Chapter 6: Maintain Data Integrity	GardenCompany06_start.accdb
Chapter 7: Create Custom Forms	GardenCompany07_start.accdb Hydrangeas.jpg
Chapter 8: Create Queries	GardenCompany08_start.accdb
Chapter 9: Create Custom Reports	GardenCompany09_start.accdb

(continued)

Chapter	File
Chapter 10: Import and Export Data	Customers.xlsx Employees.txt GardenCompany10_start.accdb ProductsAndSuppliers.accdb Shippers.xlsx
Chapter 11: Make Databases User Friendly	GardenCompany11_start.accdb Icon.ico Logo.png
Chapter 12: Protect Databases	GardenCompany12_start.accdb
Chapter 13: Customize Access	GardenCompany13_start.accdb

Your Companion eBook

The eBook edition of this book allows you to:

- Search the full text
- Print
- Copy and paste

To download your eBook, please see the instruction page at the back of this book.

Getting Help

Every effort has been made to ensure the accuracy of this book. If you do run into problems, please contact the sources listed in the following sections.

Getting Help with This Book

If your question or issue concerns the content of this book or its practice files, please first consult the book's errata page, which can be accessed at:

<http://go.microsoft.com/fwlink/?Linkid=192153>

This page provides information about known errors and corrections to the book. If you do not find your answer on the errata page, send your question or comment to Microsoft Press Technical Support at:

mspinput@microsoft.com

Getting Help with Access 2010

If your question is about Microsoft Access 2010, and not about the content of this book, your first recourse is the Access Help system. This system is a combination of tools and files stored on your computer when you installed Access and, if your computer is connected to the Internet, information available from the Microsoft Office Online Web site. You can find general or specific Help information in the following ways:

- To find out about an item on the screen, you can display a ScreenTip. For example, to display a ScreenTip for a button, point to the button without clicking it. The ScreenTip gives the button's name, the associated keyboard shortcut if there is one, and sometimes a description of what the button does when you click it.
- In the Access program window, you can click the Microsoft Access Help button (a question mark in a blue circle) at the right end of the ribbon to display the Access Help window.
- At the right end of the title bars of some dialog boxes is a Help button (also a question mark) that you can click to display the Access Help window. Sometimes, topics related to the functions of that dialog box are already identified in the window.


To practice getting help, you can work through the following exercise.



SET UP You don't need any practice files to complete this exercise. Start Access, and then follow the steps.



1. At the right end of the ribbon, click the **Microsoft Access Help** button.
The Access Help window opens.



Your Help window might look different from this one because the material on the Office Online Web site is constantly being updated.

Tip You can maximize the window or adjust its size by dragging the handle in the lower-right corner. You can change the size of the font by clicking the Change Font Size button on the toolbar.

2. Toward the bottom of the window, below the bulleted list under **Browse Access 2010 support**, click **see all**.

Troubleshooting The See All link is available only if the Search option is set to one of the Content From Office.com choices. If your Search option is set to one of the Content From This Computer choices, the complete list is already displayed. To switch among the available Search options, click the Search arrow and then click your choice in the list.


The window changes to display a list of help topics.

3. In the list of topics, click **Activating Access**.

Access Help displays a list of topics related to activating Microsoft Office programs. You can click any topic to display the corresponding information.

4. On the toolbar, click the **Show Table of Contents** button, and then scroll down the pane that appears on the left.

Like the table of contents in a book, the Help table of contents is organized in sections. If you're connected to the Internet and the Search option is set to one of the Content From Office.com choices, Access displays sections, topics, and training available from the Office Online Web site as well as the Help information stored on your computer.




Clicking any section (represented by a book icon) displays that section's topics (represented by help icons).



5. In the **Table of Contents** pane, click a few sections and topics. Then click the **Back** and **Forward** buttons to move among the topics you have already viewed.
6. At the right end of the **Table of Contents** title bar, click the **Close** button.
7. At the top of the **Access Help** window, click the **Search** box, type **relationships**, and then press the Enter key.

The Access Help window displays topics related to the word you typed.



Next and Back buttons appear below the search term to make it easier to search for the topic you want.

Tip If you enter a term in the Search box and then click the adjacent Search arrow, you can specify the type of help you are looking for or where you want to look for it.

8. In the results list, click the **Guide to table relationships** topic.

The selected topic appears in the Access Help window.

9. Below the first paragraph of the topic, click **Database design basics**.

Access jumps to the related topic about database design. This type of hyperlink is identified by blue text. You might also see a Show All button that displays hidden auxiliary information available in the topic. (The button changes to Hide All when the hidden information is displayed.)

Tip You can click the **Print** button on the toolbar to print a topic. Only the displayed information is printed.



CLEAN UP Click the **Close** button in the upper-right corner of the Access Help window.

More Information

If your question is about Access 2010 or another Microsoft software product and you cannot find the answer in the product's Help system, please search the appropriate product solution center or the Microsoft Knowledge Base at:

support.microsoft.com

In the United States, Microsoft software product support issues not covered by the Microsoft Knowledge Base are addressed by Microsoft Product Support Services. Location-specific software support options are available from:

support.microsoft.com/gp/selfoverview/


Chapter at a Glance

Create databases from templates, page 46

Create databases and tables manually, page 52

Refine table structure, page 64

Create relationships between tables, page 68



CustomerID	FirstName	LastName	Street	City	State	ZIP	Country	Phone
1	Scott	Gode	G12 E. 2nd	Pocatello	ID	73204	USA	208 555-0161
(New)								


Field Name	Data Type	Description
City	Text	
State	Text	
PostalCode	Text	
Phone	Text	
Birthdate	Date/Time	

Field Properties

General | Lookup

Field Size: 20
Format:
Input Mask:
Caption: State or Region
Default Value:
Validation Rule:
Validation Text:
Required: No
Allow Zero Length: Yes
Indexed: No

The label for the field when used on a form. If you don't enter a caption, the field name is used as the label. Press F1 for help on captions.



2 Create Databases and Simple Tables

In this chapter, you will learn how to

- ✓ Create databases from templates.
 - ✓ Create databases and tables manually.
 - ✓ Manipulate table columns and rows.
 - ✓ Refine table structure.
 - ✓ Create relationships between tables.
-

Creating the container for a database is easy. But an empty database is no more useful than an empty document or worksheet. It is only when you fill a database with data in tables (known as populating a database) that it starts to serve a purpose. As you add forms, queries, and reports, it becomes a useful tool. If you customize it by adding a startup page and organizing the various objects into categories and groups, it moves into the realm of being a database application.

Not every database has to be refined to the point that it can be classified as an application. Databases that only you or a few experienced database users will work with can remain fairly simple. But if you expect someone without database knowledge to enter data or generate their own reports, spending a little extra time in the beginning to create a solid foundation will save a lot of work later. Otherwise, you'll find yourself continually repairing damaged files or walking people through seemingly easy tasks.

Microsoft Access 2010 takes a lot of the difficult and mundane work out of creating and customizing a database by providing database applications in the form of templates that you modify and populate with your own information. Access 2010 also provides templates for common elements that you might want to plug into a database. These application parts consist of sets of objects—a table and related forms, queries, or reports—that together provide a complete, functioning part of a database. All you have to do is fill in your data. If none of the templates meet your needs, you can create tables manually.

In this chapter, you'll create a database from a template and create a table manually. Then you'll adjust the display of a data table to fit your needs. By the end of this chapter, you'll have a database containing a few tables and you'll understand a bit about how the tables in the databases you will use for the exercises in the remaining chapters of the book were created.

Practice Files You don't need any practice files to complete the exercises in this chapter. For more information about practice file requirements, see "Using the Practice Files" at the beginning of this book.

Creating Databases from Templates

A few years ago (the distant past, in computer time), creating a database structure involved first analyzing your needs and then laying out the database design on paper. You would decide what information you needed to track and how to store it in the database. Creating the database structure could be a lot of work, and after you created it and entered data, making changes could be difficult. Templates have changed this process, and committing yourself to a particular database structure is no longer the big decision it once was.

A template is a pattern that you use to create a specific type of database. Access 2010 comes with templates for several databases typically used in business and education, and when you are connected to the Internet, many more are available from the Microsoft Office Online Web site at office.microsoft.com. By using pre-packaged templates, you can create a database application in far less time than it used to take to sketch the design on paper, because someone has already done the design work for you.

Using an Access template might not produce exactly the database application you want, but it can quickly create something that you can customize to fit your needs. However, you can customize a database only if you know how to manipulate its basic building blocks: tables, forms, queries, and reports. Due to the complexity of these templates, you probably shouldn't try to modify them until you're comfortable working with database objects in Design view and Layout view. By the time you finish this book, you will know enough to be able to confidently work with the sophisticated pre-packaged application templates that come with Access.

In this exercise, you'll create a database application based on the Tasks template. This template is typical of those provided with Microsoft Access 2010, in that it looks nice and demonstrates a lot of the neat things you can do in a database.




SET UP You don't need any practice files to complete this exercise. Close any open databases, and then with the New page of the Backstage view displayed, follow the steps.

1. In the **Available Templates** area, click **Sample Templates**.

Access displays a list of the templates that shipped with the program and are installed on your computer.

2. Click the **Tasks** template icon.

In the right pane, you can assign a name to the database and browse to the location where you want to store the database.



The Tasks template is supplied with Access.


3. In the **File Name** box, type **MyTasks**.

Tip Naming conventions for Access database files follow those for Windows files. File names cannot contain the following characters: \ / : * ? " < > |. By default, file name extensions are hidden, and you shouldn't type the extension in the File Name box. (The extension for an Access 2010 database file is .accdb. For information about this file format, which was introduced with Access 2007, search for *accdb* in Access Help.)



4. Click the adjacent **Browse** button, and then in the **File New Database** dialog box, navigate to your **Chapter02** practice file folder.

You use the same navigational techniques in this dialog box that you would use in any Open or Save dialog box.



The File New Database dialog box.

5. With **Microsoft Access 2007 Databases** selected in the **Save as type** box, click **OK**.

The path to the specified folder is displayed below the File Name box.

Tip By default, Access creates new databases in your Documents folder. You can change the location when you create each database, as you did here, or you can change the default save folder. To specify a different default folder, click the File tab to display the Backstage view, click Options, and then on the General page of the Access Options dialog box, under Creating Databases, click the Browse button to the right of Default Database Folder. In the Default Database Path dialog box, browse to the folder you want to be the default, and then click OK in each of the open dialog boxes.

6. Click the **Create** button.


Access briefly displays a progress bar, and then the new database opens, with the Task List form displayed in Layout view.

Tip Below the form name is a toolbar with commands created by embedded macros. These commands are an example of what makes this a database application rather than a simple database. The topic of macros is beyond the scope of this book. For information, search for *macros* in Access Help.



7. If the **Navigation** pane is closed, click the **Shutter Bar Open** button at the right end of its title bar to open it. Then if any of the groups are collapsed, click their chevrons to open them.

The Navigation pane displays a custom Tasks Navigation category.



The custom category has custom Tasks, Contacts, and Supporting Objects groups.

Troubleshooting The appearance of buttons and groups on the ribbon changes depending on the width of the program window. For information about changing the appearance of the ribbon to match our screen images, see “Modifying the Display of the Ribbon” at the beginning of this book.

8. In the **Navigation** pane, click the **Tasks Navigation** title bar, and then in the category and group list, click **Object Type** to list all the objects in this database.


9. In the **Tables** group, double-click **Contacts**.

The empty Contacts table is displayed. You could now start entering data in this table.

10. Right-click the **Contacts** tab, and click **Close All**.

11. On the **Create** tab of the ribbon, in the **Templates** group, click the **Application Parts** button.

The Application Parts gallery appears.



The Application Parts gallery.

You can add various types of forms and several sets of related tables and other database objects to this or any other database. These ready-made objects give you a jump start on creating a fully functional database application.

12. Click away from the gallery to close it.

13. Continue exploring the objects that are part of the **MyTasks** database on your own.

✘ CLEAN UP Close the MyTasks database.

Web Databases

Several of the templates in the Sample Templates gallery and many of the templates available from the Microsoft Office Online Web site are designated as Web databases. A Web database is one that is compatible with the new Web publishing capabilities of Access 2010.

If Access Services are installed on your organization's Microsoft SharePoint server, you can now publish a database to Access Services. Publishing converts tables to SharePoint lists stored on the server and makes it possible to work with the database either in Access or in a Web browser.

You can create a Web database based on a Web template or build a new one from scratch by choosing Blank Web Database on the New page of the Backstage view. You can also publish a regular database as a Web database, although the tables in the database must conform to Web database requirements for publication to be successful. Because of these requirements, if you work for an organization where future deployment of Access Services is a possibility, you might want to consider creating a Web database to ensure that your database can be published to Access Services in the future.

In a Web database, you can create two kinds of objects:

- **Web objects** These can be created and viewed in either a Web browser or Access.
- **Non-Web objects** These can be created and viewed only in Access.

When you are working with a Web database from a browser, you are working with the database on the server. When you are working with it from Access, you are working with a local copy of the database that is synchronized with the database on the server. For both types of objects, you can make design changes only in Access and only when connected to the server.

These days, more and more companies have employees and clients in different geographic locations, and more and more people are working away from company offices. Web databases make it possible for people to access company databases from wherever they are and from any computer, whether or not it has Access installed.


Creating Databases and Tables Manually

Suppose you need to store different types of information for different types of people. For example, you might want to maintain information about employees, customers, and suppliers. In addition to the standard information—such as names, addresses, and phone numbers—you might want to track these other kinds of information:

- Employee identification numbers, hire dates, marital status, deductions, and pay rates
- Customer orders and account status
- Supplier contacts, current order status, and discounts

You could start with a template, add fields for all the different items of information to a single Contacts table, and then fill in only the relevant fields for each type of contact. However, cramming all this information into one table would soon get pretty messy. It's better to create a new database based on the Blank Database template and then manually create separate tables for each type of contact: employee, customer, and supplier.

When you create a new blank database or insert a new table into an existing database, the table is displayed on a tabbed page in Datasheet view with one empty row that is ready to receive data. Because the active object is a table, Access adds the Table Tools contextual tabs to the ribbon so that you can work with the table.




A new table in a new database.

If you close the table at this point, it will disappear, because it contains no data and it has no structure. The simplest way to make the table part of the database is to create at least one record by entering data, which simultaneously defines the table's structure.

Tip You can also define the structure of the table without entering data. For information about table structure, see “Refining Table Structure” later in this chapter. For information about adding new blank fields to a table, see “Restricting the Type of Data” in Chapter 6, “Maintain Data Integrity.”

Obviously, to create a record, you need to know how to enter information in Datasheet view.



The first record in a new table, before data is entered.

Every table has an empty row that is ready to receive a new record, as indicated by the New icon (the asterisk) in the record selector at the left end of the row. By default, the first field in each new table is an ID field designed to contain an entry that will uniquely identify the record. Also by default, this field is designated as the table's *primary key*. No two records in this table can have the same value in this primary key field. Behind the scenes, the data type of this field is set to AutoNumber, so Access will enter a sequential number in this field for you.

Tip As you'll see in a later exercise, the primary key field does not have to be the default AutoNumber type. If you need to you create your own primary key field, then anything meaningful and unique will work.

See Also For information about data types, see “Refining Table Structure” later in this chapter.

The first field you need to be concerned about is the active field labeled *Click To Add*. You enter the first item of information for the new record in the first cell in this field, and then press the Tab or Enter key to move to the first cell in the field to the right. Access then assigns the value 1 to the ID field, assigns the name Field1 to the second field, and moves the Click To Add label to the third field. The icon in the record selector at the left end of the record changes to two dots and a pencil to indicate that this record has not yet been saved, and the New icon moves to the record selector of the next row.

ID	Field1	Click to Add
1	Sidney	
*	(New)	

The first record in a new table, after data has been entered in the first field.

When creating a new table in Datasheet view, you need to save the first record after entering the first item of data. If you don't, Access increments the ID value for each field you add to that record. For example, if you add seven fields, Access assigns the value 7 to the ID field of the first record. To avoid this problem, you simply click the icon in the record selector after you enter your first value in the first record. This saves the record with the value 1 assigned to the ID field, and subsequent records will be numbered sequentially.

Having entered the first item of data and saved the record, you continue entering items of information in consecutive cells and pressing Tab or Enter. When you finish entering the last item for the first record, you click anywhere in the row below to tell Access that the record is complete.

After you complete the first record of a new table, you will probably want to change the default field names to something more meaningful. To rename a field, you simply double-click its field name and then type the name you want.

At any time while you are entering data in a new table, you can save the table by clicking the Save button on the Quick Access Toolbar and naming the table. If you try to close the table without explicitly saving it, Access prompts you to save the table. If you click No, Access discards the table and any data you have entered.

After you have saved the table for the first time, Access automatically saves each record when you move away from it. You don't have to worry about losing your changes, but you do have to remember that most data entries can be undone only by editing the record.

Databases almost always contain more than one table. You can create additional empty tables by clicking the Table button in the Tables group on the Create tab of the ribbon. If you need to create a table that is similar in structure to an existing one, you can copy and paste the existing table to create a new one. When you paste the table, Access gives you the option of naming the table and of specifying whether you want the new table to have the existing table's structure or both its structure and its data.

For some kinds of tables, Access provides Quick Start fields that you can use to add common sets of fields or kinds of fields to a table. The Quick Start options take the work out of defining these fields and can be very useful when you know exactly what type of field you need.

In this exercise, you'll create a blank database, enter information into the first record of its default table, assign field names, add another record, and save and close the table. Then you'll copy that table to create a second one. Finally, you'll create a new table and experiment with Quick Start fields.



SET UP You don't need any practice files to complete this exercise. Close any open databases, and then with the New page of the Backstage view displayed, follow the steps.

1. In the center pane of the **New** page, in the **Available Templates** area, click **Blank Database**.
2. In the right pane, click the **File Name** box, and type **MyTables**. Then click the **Browse** button, navigate to your **Chapter02** practice file folder, and click **OK**.



Tip You can't create a blank database without saving it. If you don't provide a file name and location, Access saves the file with the name *Database* followed by a sequential number in the default location (your Documents folder, unless you have changed it).

3. In the right pane, click the **Create** button.

Access creates the blank database in the specified location, opens the database, and displays a new blank table named *Table1*.

4. With the empty field below **Click to Add** selected, type **Scott**, and then press Tab to move to the next field.

The icon in the record selector changes to indicate that this record has not yet been saved. The value 1 appears in the ID field, the name of the second column changes to Field1, and the Click To Add label moves to the third column.

5. Click the icon in the record selector to save the record before you move on.

Tip Clicking the record selector is necessary only after you enter the first value in a new table. This action sets the ID field value to 1.

6. Click the cell under **Click to Add**, and type the following information into the next seven cells, pressing Tab after each entry:

Gode
612 E. 2nd
Pocatello
ID
73204
USA
208 555-0161

As the cursor moves to the next cell, the name of the field in which you just entered data changes to *Field* followed by a sequential number.

ID	Field1	Field2	Field3	Field4	Field5	Field6	Field7	Field8
1	Scott	Gode	612 E. 2nd	Pocatello	ID	73204 USA		208 555-0161
*	(New)							

The first complete record.

Tip Don't be concerned if your screen does not look exactly like ours. In this graphic, we've scrolled the page and adjusted the widths of the columns so that you can see all the fields. For information about adjusting columns, see "Manipulating Table Columns and Rows" later in this chapter.

7. Double-click the **ID** field name (not the ID value in Field5), and then type **CustomerID** to rename it.

Tip Field names can include spaces, but the spaces can affect how queries have to be constructed, so it is best not to include them. For readability, capitalize each word and then remove the spaces, or use underscores instead of spaces.

8. Repeat step 7 for the other fields, changing the field names to the following:

Field1 **FirstName** **Field4** **City** **Field7** **Country**
Field2 **LastName** **Field5** **State** **Field8** **Phone**
Field3 **Street** **Field6** **ZIP**

The table now has intuitive field names.


Tip You can rename a table by right-clicking it in the Navigation pane and then clicking **Rename**. You can delete a table by right-clicking it, clicking **Delete**, and then confirming the deletion in the message box that appears. (You can also delete a table by selecting it in the Navigation bar and then clicking the **Delete** button in the **Records** group on the **Home** tab or pressing the **Delete** key.)

13. In the **Navigation** pane, click the **Customers** table to select it.
14. On the **Home** tab, in the **Clipboard** group, click the **Copy** button. Then click the **Paste** button.

Keyboard Shortcut Press **Ctrl+C** to copy data. Press **Ctrl+V** to paste data.

See Also For more information about keyboard shortcuts, see “[Keyboard Shortcuts](#)” at the end of this book.

The Paste Table As dialog box opens.



If you need to create a table that is similar to an existing table, it is sometimes easier to customize a copy than to create it from scratch.

15. In the **Table Name** box, type **Employees**. In the **Paste Options** area, click **Structure Only** to capture the fields from the **Customers** table but none of the customer information. Then click **OK**.

The new **Employees** table appears in the Navigation pane.

Tip You can also use the **Copy** and **Paste** commands to append the information in the selected table to another existing table. In that case, in the **Paste Table As** dialog box, type the name of the destination table in the **Table Name** box, click **Append Data To Existing Table**, and then click **OK**.

16. Double-click **Employees** to open it in Datasheet view so that you can view its fields. Then close the table again.






17. On the **Create** tab, in the **Tables** group, click the **Table** button.

Access creates a new table containing an ID field and a Click To Add field placeholder.



18. With the **Click to Add** field active, on the **Fields** contextual tab, in the **Add & Delete** group, click the **More Fields** button.

The More Fields gallery appears.



The Quick Start fields are at the bottom of the More Fields gallery.

19. If necessary scroll to the bottom of the gallery, and then under **Quick Start**, click **Name**.

Access inserts ready-made LastName and FirstName fields.

20. Repeat steps 18 and 19 to add the **Address** fields from the **Quick Start** list.

Access inserts ready-made Address, City, State Province, ZIP Postal, and Country Region fields.

21. Close the table, saving it with the name **Shippers** when prompted.



CLEAN UP Retain the MyTables database for use in later exercises.

Database Design

In a well-designed database, each item of data is stored only once. If you're capturing the same information in multiple places, that is a sure sign that you need to analyze the data and figure out a way to put the duplicated information in a separate table.

For example, an Orders table should not include information about the customer placing each order, for two significant reasons. First, if the same customer orders more than once, all his or her information has to be repeated for each order, which inflates the size of the table and the database. Second, if the customer moves, his or her address will need to be updated in the record for every order placed.

The way to avoid this type of problem is to put customer information in a Customers table and assign each customer a unique identifier, such as a sequential number or unique string of letters, in the primary key field. Then in the Orders table, you can identify the customer by the unique ID. If you need to know the name and address of the customer who placed a particular order, you can have Access use the unique ID to look up that information in the Customers table.

The process of ensuring that a set of information is stored in only one place is called *normalization*. This process tests a database for compliance with a set of normalization rules that ask questions such as "If I know the information in the primary key field of a record, can I retrieve information from one and only one record?" For example, knowing that a customer's ID is 1002 means you can pull the customer's name and address from the Customers table, whereas knowing that a customer's last name is Jones does not mean that you can pull the customer's name and address from the table, because more than one customer might have the last name Jones.

The topic of normalization is beyond the scope of this book. If you need to design a database that will contain several tables, you should search for *Database design basics* in Access Help to learn more about the normalization process.

Manipulating Table Columns and Rows

In Chapter 1, “Explore an Access 2010 Database,” we showed you how to quickly adjust the width of table columns to efficiently display their data. In addition to adjusting column width, sometimes you might want to rearrange a table’s fields to get a better view of the data. For example, if you want to look up a phone number but the names and phone numbers are several fields apart, you will have to scroll the page to get the information you need. You might want to rearrange or hide a few fields to be able to simultaneously see the ones you are interested in.

You can manipulate the columns and rows of an Access table without affecting the underlying data in any way. You can size rows and size, hide, move, and freeze columns. You can save your table formatting so that the table will look the same the next time you open it, or you can discard your changes without saving them.

In this exercise, you’ll open a table and manipulate its columns and rows.



SET UP You need the **MyTables** database you worked with in the preceding exercise to complete this exercise. Open the **MyTables** database, and then follow the steps.

1. In the **Navigation** pane, double-click the **Customers** table to open it in Datasheet view.
2. In the field name row, point to the right border of the **Street** field name, and when the pointer changes to a double-headed arrow, drag to the right until you can see all of the street addresses.
3. Double-click the right border of any column that seems too wide or too narrow to adjust the column to fit its contents.

This technique is particularly useful in a large table where you can’t easily determine the length of a field’s longest entry.

4. Point to the border between any two record selectors, and drag downward.
When you release the mouse button, Access increases the height of all rows in the table.


CustomerID	FirstName	LastName	Street	City	State	ZIP	Country	Phone
1	Scott	Gode	612 E. 2nd	Pocatello	ID	73204	USA	208 555-0161
2	John	Frederickson	43 rue St. Laurent	Montreal	Quebec		Canada	514 555-0167
*	(New)							

You cannot adjust the height of a single row.



- On the **Home** tab, in the **Records** group, click the **More** button, and then click **Row Height**.

The Row Height dialog box opens.



You can set the rows to the precise height you want.

- In the **Row Height** dialog box, select the **Standard Height** check box, and then click **OK**.

Access resets the height of the rows to the default setting.

- Click anywhere in the **FirstName** field. Then in the **Records** group, click the **More** button, and click **Hide Fields**.

The FirstName field disappears, and the fields to its right shift to the left.

Tip If you select several fields before clicking **Hide Fields**, they all disappear. You can select adjacent fields by clicking the field name of the first one, holding down the Shift key, and then clicking the field name of the last one. The two fields and any fields in between are selected.

- To restore the hidden field, in the **Records** group, click the **More** button, and then click **Unhide Fields**.

The Unhide Columns dialog box opens.



You can select and clear check boxes to control which fields are visible.

Tip If you want to hide several columns that are not adjacent, you can display the **Unhide Columns** dialog box and clear their checkboxes.

9. In the **Unhide Columns** dialog box, select the **FirstName** check box, and then click **Close**.

Access redisplay the **FirstName** field.

10. If you can see all of the fields in the table, for the purposes of this exercise, adjust the size of the program window until some of the fields are no longer visible.
11. Point to the **CustomerID** field name, hold down the mouse button, and drag through the **FirstName** and **LastName** field names. With the three columns selected, click the **More** button in the **Records** group, and then click **Freeze Fields**.
12. Scroll the page to the right until the **Phone** field is adjacent to the **LastName** field. The first three columns remain in view as you scroll.
13. In the **Records** group, click **More**, and then click **Unfreeze All Fields** to restore the fields to their normal condition.

Tip The commands to hide, unhide, freeze, and unfreeze columns are also available from the shortcut menu that appears when you right-click a field name.


14. Click the **Phone** field name to select that field. Then drag the field to the left, releasing the mouse button when the thick black line appears to the right of the **LastName** field.
15. Close the **Customers** table, clicking **Yes** to save the changes you have made to the column widths and order. If you see a warning that this action will clear the Clipboard, click **Yes**.

✘ CLEAN UP Retain the MyTables database for use in later exercises.

Refining Table Structure

Although you can create the structure of a database in Datasheet view, some structural refinements can be carried out only in Design view. When you are familiar with tables, you might even want to create your tables from scratch in Design view, where you have more control over the fields. You can open a new table in Design view by clicking the Table Design button in the Tables group on the Create tab.

When you open an existing table in Design view, the tabbed page shows the underlying structure of the table.



The table design page.


This page has two parts. The top part consists of the following:

- **Selector** You can click the shaded box at the left end of a row to select the entire field. You can then insert a row above the selected one, delete the row (thereby deleting the field), or drag the row up or down to reposition its field in the table.

The selector also identifies the primary key field of the table by displaying the Primary Key icon (a key with a right-pointing arrow).

Tip If you don't want a table to have a primary key (for example, if none of the fields will contain a unique value for every record), select the field designated as the primary key, and on the Design contextual tab, in the Tools group, click the Primary Key button to toggle it off. If you want to designate a different field as the primary key, select the new field, and click the Primary Key button to toggle it on. (You don't have to remove the primary key from the current field first; it will happen automatically.)

- **Field Name column** This column contains the names you specified when you created the table. You can edit the names by using regular text-editing techniques. You can add a new field by typing its name in the first empty cell in this column.
- **Data Type column** This column specifies the type of data that the field can contain. By default, the ID field in a new table is assigned the AutoNumber data type, and all other fields are assigned the Text data type. With the exception of fields with the OLE Object and Attachment data types, you can change the type of any field by clicking its Data Type entry, clicking the arrow that appears, and clicking a new data type in the list.



The list of data types.

See also For more information about data types, see “Restricting the Type of Data” in Chapter 6, “Maintain Data Integrity.”

- **Description column** This column contains an optional description of the field.

The Field Properties area at the bottom of the design page displays the properties of the field selected in the top part. Different properties are associated with different data types. They can determine such things as the number of characters allowed in a field, the value inserted if the user doesn't type an entry, and whether an entry is required. Properties can also assess whether an entry is valid and can force the user to select from a list of values rather than typing them (with the risk of errors).

All fields, no matter what their data type, can be assigned a Caption property that will appear in the place of the field name in tables or in other database objects. For example, you might want to use captions to display the names of fields with spaces, such as First Name for the FirstName field.

See Also For information about using properties to control the accuracy of data entry, see Chapter 6, "Maintain Data Integrity." For a comprehensive list of data types and properties, search on *data types* in Access Help.

In this exercise, you'll open a table in Design view, add and delete fields, change a data type, set field sizes, and add a caption.



SET UP You need the MyTables database you worked with in the preceding exercise to complete this exercise. Open the MyTables database, and then follow the steps.


1. In the **Navigation** pane, right-click the **Employees** table, and then click **Design View**.
Access opens the table with its structure displayed. Because you created this table by copying the Customers table, you need to make some structural changes.
2. With **CustomerID** highlighted in the **Field Name** column, type **EmployeeID**, and then press the Tab key twice.
3. In the **Description** column, type **Unique identifying number**.
4. Click the **Country** field's selector, and then on the **Design** contextual tab, in the **Tools** group, click the **Delete Rows** button.
5. In the empty row below the **Phone** field, click the **Field Name** cell, and type **Birthdate**. Then click the **Data Type** cell.
Access assigns the default Text data type to the new field.
6. Click the arrow at the right end of the **Data Type** cell, and in the list, click **Date/Time**.
7. Repeat steps 5 and 6 to add another **Date/Time** field named **DateHired**.



8. Select the **ZIP** field name, change it to **PostalCode**, and then change its data type to **Text**.

Tip If you use only five-digit ZIP codes, the Number data type is fine. But setting it to Text allows you to enter ZIP+4 codes or the letter-number postal codes used in Canada and other countries.

The properties in the Field Properties area at the bottom of the design page change to those that are appropriate for this type of field.



The properties for the Text data type.


9. In the box to the right of **Field Size**, double-click **255**, and type **10**.
You are specifying that this field can contain no more than 10 characters.
10. Change the **Field Size** property of the following fields as shown:

FirstName 50 City 50 Phone 30
LastName 50 State 20

Tip Sometimes changing the field properties of a table that already contains data can produce unanticipated results. If you make a change to a field property that might cause data to be lost (for example, if you make the Field Size property smaller than one of the field's existing values), Access warns you of this problem when you attempt to save the table. For more information, see Chapter 6, "Maintain Data Integrity."

11. Click the **State** field. Then in the **Field Properties** area, click the **Caption** box, and type **State or Region**.

The Field Name remains State, but in Datasheet view, the column heading will be *State or Region*.



You have changed the Field Size and Caption properties of the State field.



12. On the **Design** tab, in the **Views** group, click the **View** button to switch to Datasheet view.

Access tells you that you must save the table before leaving Design view.

13. In the message box, click **Yes** to save the table.

Access saves the table and displays it in Datasheet view.


14. With the table displayed in Datasheet view, click the **LastName** field name. Then on the **Fields** contextual tab, in the **Add & Delete** group, click the **Text** button.

A new field called *Field1* that has the Text data type is inserted to the right of the LastName field.



Tip You can also create a new field with a specific data type by clicking the **Click To Add** label to the right of the last field in the field name row. Then in the list that appears, you can click the data type you want.

15. With **Field1** selected, type **Title**, and press Enter.
16. Click the **Title** field name. Then in the **Properties** group, in the **Field Size** box, click **255** to select it, type **50**, and press Enter.
17. Type the following information in the first record:



FirstName **Karen**
LastName **Berg**
Title **Owner**

The Employees table is now ready for you to start entering data.

EmployeeID	FirstName	LastName	Title	Street	City	State
1	Karen	Berg	Owner			
*	(New)					

The first record of the Employees table.

✘ CLEAN UP Close the Employees table. Retain the MyTables database for use in the last exercise.

Creating Relationships Between Tables

In Access, a relationship is an association between common fields in two tables. You can use this association to link the primary key field in one table to a field that contains the same information in another table. The field in the other table is called the *foreign key*. For example, if customer accounts are assigned to specific sales employees, you can establish a relationship by linking the primary key EmployeeID field in the Employees table with the foreign key EmployeeID field in the Customers table. Each customer account is assigned to only one employee, but each employee can manage many customer accounts, so this type of relationship—the most common—is known as a *one-to-many relationship*.

Similarly, if every order is associated with a customer, you can establish a relationship by linking the primary key CustomerID field in the Customers table and foreign key CustomerID field in the Orders table. Each order is placed by only one customer, but each customer can place many orders. So again, this is a one-to-many relationship.

Less common relationships include:

- **One-to-one** In this type of relationship, each record in one table can have one and only one related record in the other table. This type of relationship isn't commonly used because it is easier to put all the fields in one table. However, you might use two related tables instead of one to break up a table with many fields, or to track information that applies to only some of the records in the first table.
- **Many-to-many** This type of relationship is really two one-to-many relationships tied together through a third table. You might see this relationship in a database that contains Products, Orders, and Order Details tables. The Products table has one record for each product, and each product has a unique ProductID. The Orders table has one record for each order placed, and each record in it has a unique OrderID. However, the Orders table doesn't specify which products were included in each order; that information is in the Order Details table—the table in the middle that ties the other two tables together. Products and Orders each have a one-to-many relationship with Order Details. Products and Orders therefore have a many-to-many relationship with each other. In plain language, this means that every product can appear in many orders, and every order can include many products.

The most common way of creating a relationship between two tables is to add the tables to the Relationships page displayed when you click the Relationships button in the Relationships group on the Database Tools tab. You then drag a field in one table to the common field in the other table and complete the relationship definition in the Edit Relationships dialog box. In this dialog box, you are given the opportunity to impose a restriction called *referential integrity* on the data, which means that an entry will not be allowed in one table unless it already exists in the other table.

After you have created a relationship, you can delete it by deleting the line connecting the tables on the Relationships page. You can clear all the boxes from the page by clicking the Clear Layout button in the Tools group on the Relationship Tools Design contextual tab.

Tip The coverage of relationships in this topic is deliberately simple. However, relationships are what make relational databases tick, and Access provides a number of fairly complex mechanisms to ensure the integrity of the data on either end of the relationship. Some of these mechanisms are covered in Chapter 6, “Maintain Data Integrity.” For a good overview, search for *Guide to table relationships* in Access Help.

In this exercise, you’ll create relationships between one table and two other tables. Then you’ll test the referential integrity of one of the relationships.



SET UP You need the MyTables database you worked with in the preceding exercise to complete this exercise. Open the MyTables database, and then follow the steps.



1. On the **Create** tab, in the **Tables** group, click the **Table** button to create a new table.
Before we add fields to this table, let’s save it.
2. On the Quick Access Toolbar, click the **Save** button, name the table **Orders**, and click **OK**.
3. To the right of **Click to Add**, click the arrow, and in the data type list, click **Number**. Repeat this step to create a second field with the **Number** data type.
4. Double-click **Field1**, and type **CustomerID**. Then double-click **Field2**, and type **EmployeeID**.

Each order in the Orders table will be placed by one customer and will be handled by one employee. Let’s create relationships between the Orders table and the Customers and Employees tables so that we don’t create records for orders from customers who don’t exist or that seem to have been handled by employees who don’t exist.

5. Close the **Orders** table.


Tip You cannot create a relationship for an open table.

6. On the **Database Tools** tab, in the **Relationships** group, click the **Relationships** button.

The Show Table dialog box opens so that you can indicate the tables for which you want to create a relationship.

Troubleshooting If the dialog box doesn’t open automatically, click the **Show Table** button in the **Relationships** group on the **Design** contextual tab.






The Tables page of the Show Table dialog box.

7. With **Customers** selected on the **Tables** page, click **Add**. Then double-click **Orders**, and click **Close**.


Access displays the Relationships page and adds a Relationship Tools contextual tab to the ribbon.



The two boxes list all the fields in their respective tables.

- In the **Customers** field list, click **CustomerID**, and drag it down and over **CustomerID** in the **Orders** field list, releasing the mouse button when two little boxes, one containing a plus sign, appear below the pointer.


The Edit Relationships dialog box opens.



At the bottom of the dialog box, Access indicates that this will be a one-to-many relationship.

- Select the **Enforce Referential Integrity** check box, and then click **Create**.

Access creates the link between the primary key in the Customers table and the foreign key in the Orders table, and a line now connects the two field lists on the Relationships page.



The symbols at each end of the line indicate that each Customer ID value appears only once in the Customers table but can appear many times in the Orders table.




- On the **Design** contextual tab, in the **Relationships** group, click the **Show Table** button. Then in the **Show Table** dialog box, double-click the **Employees** table, and click **Close**.

Access adds a box listing all the fields in the Employees table to the Relationships page.

- On the page, drag the title bars of the three field lists to arrange them so that they are side by side and equidistant.
- In the **Employees** field list, click the **EmployeeID** field, and drag it down and over the **EmployeeID** field in the **Orders** field list. Then in the **Edit Relationships** dialog box, select the **Enforce Referential Integrity** check box, and click **Create**.
- After Access draws the relationship line between the primary key and the foreign key, close the Relationships page, clicking **Yes** to save its layout.
- Open the **Orders** table. Then in the **CustomerID** field of the first record, type **11**, and click below the record to complete it.

Access displays a message box telling you that you cannot add the new record to the table.



The value in the CustomerID field in the Orders table must match a value in the primary key CustomerID field in the Customer table.

- Click **OK**. Then change the value to **1**, and click below the record to complete it. This time, Access accepts the value because there is a record with the value 1 in the primary key CustomerID field of the Customers table.

✖ CLEAN UP Close the Orders table, and then close the My Tables database.

Key Points

- Access 2010 includes templates to help you create databases and application parts to help you add related tables and other database objects.
- Rather than storing all information in one table, you can create different tables for each type of information, such as customers, orders, and suppliers.
- You can create a simple table structure by entering data and naming fields in Datasheet view. You can also set the data type and certain properties.
- You can manipulate or hide columns and rows without affecting the data.
- In Design view, you can modify any table, whether you created it manually or as part of a template.
- Data types and properties determine what data can be entered in a field, and how the data will look on the screen. Caution: changing some properties might affect the data.
- You can create a relationship between the primary key field of one table and the foreign key field of another so that you can combine information from both tables.

5 Create Simple Reports

In this chapter, you will learn how to

- ✓ Create reports by using a wizard.
 - ✓ Modify report design.
 - ✓ Preview and print reports.
-

Like forms, reports give people easy access to the information stored in a database. However, there are several differences between forms and reports, including the following:

- Forms are used to enter, view, and edit information. Reports are used only to view information.
- Forms are usually displayed on-screen. Reports can be previewed on the screen, but they are usually printed.
- Forms generally provide a detailed look at records and are usually for the people who actually work with the database. Reports are often used to group and summarize data, and are often for people who don't work with the database but who use the information stored in the database for other business tasks.

Reports usually present summaries of larger bodies of information. For example, your database might hold detailed information about thousands of orders. If you want to edit those orders or enter new ones, you can do so directly in the table or through a form. If you want to summarize those orders to illustrate the rate of growth of the company's sales, you generate a report.

Like a book report or an annual report of a company's activities, a report created in Microsoft Access 2010 is typically used to summarize and organize information to express a particular point of view to a specific audience. When you are designing a report, it is important to consider the point you are trying to make, the intended audience, and the level of information they will need.

In this chapter, you'll create a report by using a wizard. After modifying the layout and content of the report, you'll see how it will look when printed.

Practice Files Before you can complete the exercises in this chapter, you need to copy the book's practice files to your computer. The practice file you'll use to complete the exercises in this chapter is in the Chapter05 practice file folder. A complete list of practice files is provided in "Using the Practice Files" at the beginning of this book.

Creating Reports by Using a Wizard

You can divide the content of an Access report into two general categories: information derived from records in one or more tables, and everything else. The *everything else* category includes the title, page headers and footers, introductory and explanatory text, and any logos and other graphics.

Just as you can create a form that includes all the fields in a table by using the Form tool, you can create a report that includes all the fields by using the Report tool, which is located in the Reports group on the Create tab. But such a report is merely a prettier version of the table, and it does not summarize the data in any meaningful way. You are more likely to want to create a report based on only some of the fields, and that is a job for the Report wizard.

Tip In addition to basing a report on a table, you can base it on the datasheet created when you run a query. For information about queries, see Chapter 8, "Create Queries."

The Report wizard leads you through a series of questions and then creates a report based on your answers. So the first step in creating a report is to consider the end result you want and what information you need to include in the report to achieve that result. After you provide that information, the wizard creates a simple report layout and adds a text box control and its associated label for each field you specify.


For example, you might want to use a Products table as the basis for a report that groups products by category. When you give the grouping instruction to the wizard, it first sorts the table based on the category, and then sorts the products in each category. In the space at the top of each group (called the group *header*), the wizard inserts the name of the category.

In this exercise, you'll use the Report wizard to create a simple report that displays an alphabetical list of products.




SET UP You need the `GardenCompany05_start` database located in your `Chapter05` practice file folder to complete this exercise. Open the `GardenCompany05_start` database, and save it as `GardenCompany05`. Then follow the steps.

1. With **All Access Objects** displayed in the **Navigation** pane, under **Tables**, click (don't double-click) **Categories**.
2. On the **Create** tab, in the **Reports** group, click the **Report** button.



Access creates a report based on all the fields in the `Categories` table, displays the report in Layout view, and adds four Report Layout Tools contextual tabs to the ribbon.



The default report created by the Report tool.

Troubleshooting The appearance of buttons and groups on the ribbon changes depending on the width of the program window. For information about changing the appearance of the ribbon to match our screen images, see “Modifying the Display of the Ribbon” at the beginning of this book.

- This is not the report we want, so close the **Categories** report, clicking **No** when prompted to save it.



- On the **Create** tab, in the **Reports** group, click the **Report Wizard** button.

The Report wizard starts. Because the Categories table is still selected in the Navigation pane, that table is specified in the Tables/Queries box and its fields are listed in the Available Fields box.

- Display the **Tables/Queries** list, and then click **Table: Products**.

The Available Fields box now lists the fields in the Products table.

Report Wizard

Which fields do you want on your report?
You can choose from more than one table or query.

Tables/Queries
Table: Products

Available Fields:
ProductID
ProductName
LatinName
SupplierID
CategoryID
QuantityPerUnit
UnitPrice
UnitsInStock

Selected Fields:

Cancel < Back Next > Finish

The first page of the Report wizard with the correct table selected.

- In the **Available Fields** list, double-click **ProductName**, **QuantityPerUnit**, and **UnitsInStock** to move them to the **Selected Fields** box.

Tip Fields appear in a report in the order in which they appear in the Selected Fields list. You can save yourself the effort of rearranging the fields in the report by entering them in the desired order in the wizard.

7. At the bottom of the page, click **Next**.


The wizard asks whether you want to group the records. When you group by a field, the report inserts a group header at the top of each group of records that have the same value in that field.

8. In the field list on the left, double-click **ProductName**.

In the preview pane on the right, the wizard moves ProductName into the group header area to show that records will be grouped by this field.

9. In the lower-left corner of the page, click **Grouping Options**.

The Grouping Intervals dialog box opens.



You can refine the grouping specification in this dialog box.

10. Display the **Grouping intervals** list, click **1st Letter**, and then click **OK**.


The group header now indicates the grouping interval you have assigned to the grouping field.



The types of grouping intervals available vary depending on the data type of the field by which you are grouping records.

11. Click **Next**.

The wizard asks how you want to sort and summarize the records.




You can sort by up to four fields, each in ascending or descending order.

Tip For any field that contains numeric information, you can click **Summary Options** near the bottom of the wizard page to display the **Summary Options** dialog box, where you can instruct Access to insert a group footer in the report and to display the sum, average, minimum, or maximum value for the field. The only numeric field in this report is **UnitsInStock**, and it is not appropriate to summarize that field.

12. Click the arrow to the right of the **1** box to display a list of fields, and click **ProductName**. Then click **Next**.


The wizard asks which of three layouts and which orientation you want for this report.



The preview on the left shows the effect of the options on the right.

13. In the **Layout** area, click each option in turn to see a preview in the report thumbnail to the left.
14. When you have finished exploring, click **Outline**.
15. With **Portrait** selected in the **Orientation** area and the **Adjust the field width so all fields fit on a page** check box selected, click **Next**.

The wizard prompts you to supply a title for the report.



For ease of use, you should make the title more specific.

16. In the title box, type **Alphabetical List of Products**, and then with **Preview the report** selected, click **Finish**.

Access creates the report and displays it in Print Preview.

Alphabetical List of Products		
ProductName by 1s A		
Product Name	Quantity Per Unit	Units In Stock
Ambrosia	6 - 2" pots	16
American Pitcher Plant	1 ea.	4
Anacharis	1 ea.	2
Anemone	One dozen	26
Animal repellent	1 qt.	3
Animal trap	1 ea.	2

Page: 1 of 1 No Filter

The new report in Print Preview.

17. Page through the nine-page report, noticing how it is arranged. Then close it.

✘ CLEAN UP Retain the GardenCompany05 database for use in later exercises.

Modifying Report Design

You can use the Report wizard to get a quick start on a report, but you will frequently want to modify the report to get the result you need. As with forms, the report consists of text box controls that are bound to the corresponding fields in the underlying table and their associated labels. You can add labels, text boxes, images, and other controls, and you can format them, either by using commands on the ribbon or by setting their properties in the report's Property Sheet.

Tip Property Sheets for reports work the same way as those for forms. For information, see "Changing the Look of Forms" in Chapter 3, "Create Simple Forms."

You can adjust the layout and content of reports in either Layout view or Design view. For simple adjustments, it is easier to work in Layout view, where you can see the layout with live data, making the process more intuitive.

See Also For information about creating and modifying reports in Design view, see Chapter 9, "Create Custom Reports."

Tip Automatic error checking identifies common errors in forms and reports and gives you a chance to fix them. For example, Access informs you if a report is wider than the page it will be printed on. Error checking is turned on by default. If you want to turn it off, display the Backstage view, and click Options to open the Access Options dialog box. In the left pane, click Object Designers, clear the error-checking check boxes at the bottom of the page, and then click OK.

In this exercise, you'll modify the layout of a report. You'll then apply a theme, change some of the colors, and dress up the text with character formatting. You will also apply a simple rule that formats values differently if they meet a specific criterion.



SET UP You need the GardenCompany05 database you worked with in the preceding exercise to complete this exercise. Open the GardenCompany05 database, and then follow the steps.

1. In the **Navigation** pane, under **Reports**, right-click the **Alphabetical List of Products** report, and then click **Print Preview**.
2. Maximize the program window if it isn't already maximized, and then point to the previewed report page.

The pointer changes to a magnifying glass with a plus sign in it.

Alphabetical List of Products		
Product Name by 1s: A		
Product Name	Quantity Per Unit	Units In Stock
Ambrosia	6 - 2" pots	16
American Pitcher Plant	1 ea.	4
Anacharis	1 ea.	2
Anemone	One dozen	26
Animal repellent	1 qt.	3
Animal top	1 ea.	2
Anise	6 - 2" pots	20
Austrian Copper	Per plant	7
Austrian Pine	One gal. container	10
Autumn crocus	One dozen	37
Product Name by 1s: B		
Product Name	Quantity Per Unit	Units In Stock
Baby's Breath	1 ea.	23
Batbox	1 box per kit	12
Beautybush	1 ea.	2
Beebalm	1 ea.	14
Begonias	6 per pkg.	12
Beneficial nematodes	1 pt	4
Blackberries	8 starts per pkg	18
Bladderwort	1 ea.	6
Bladderwort	One 3" starter	5
Blood meal	3 lbs.	14
Bone meal	5 lbs.	12

Tuesday, May 25, 2010 Page 1 of 9

In Print Preview, the magnifying glass pointer indicates that you can zoom in on the page.

3. Click the previewed page once to zoom in.

Tip You can also zoom in and out by dragging the Zoom slider in the lower-right corner of the program window. The current zoom level appears to the left of the slider.

Notice that the report has the following design problems:

- Extraneous text
- Spacey arrangement
- Uninviting formatting

To fix these problems, we need to switch to Layout view.



4. On the **View Shortcuts** toolbar, click the **Layout View** button.

Access adds four Report Layout Tools contextual tabs to the ribbon. First let's work with the group header controls.

5. On the **Design** contextual tab, in the **Grouping & Totals** group, click the **Hide Details** button.

The controls that are bound to fields in the Products table are hidden so that you can concentrate on the group header controls.

6. Below the title, click **ProductName by 1s**, and press the Delete key.

The label is removed from all the group headers.

7. Click the control containing **A**, and drag it to the left edge of the header.


When you release the mouse button, all the corresponding controls move to the corresponding location in their own group headers.

Keyboard Shortcut Hold down the **Alt** key and press the **Arrow** keys to move the selected control in small increments. When the shadow box is positioned where you want it, click away from the control.

See Also For more information about keyboard shortcuts, see “Keyboard Shortcuts” at the end of this book.


8. Point to the right border of the selected **A** control, and when the pointer changes to a double-headed arrow, drag to the left until the control is just big enough to hold its contents.

Again, all the corresponding controls assume the new size.




It is easier to work with the controls in the group header when the report details are hidden.

9. With the **A** control still selected, hold down the Shift key, and in turn, click the **Product Name**, **Quantity Per Unit**, and **Units In Stock** label controls to add them to the selection.



10. On the **Design** tab, in the **Tools** group, click the **Property Sheet** button.

The Property Sheet opens.



Because more than one control is selected, the Selection Type of this Property Sheet is Multiple Selection.

11. On the **Format** page of the **Property Sheet**, in the **Top** property box, type **0.25"**, and press Enter. Then close the **Property Sheet**.

In the group header, the letter control and label controls are now aligned 0.25 inch from the top of the header, and the height of the header has decreased because less space is needed to accommodate the controls.

Now let's see how the group header looks with its data.

12. In the **Grouping & Totals** group, click the **Hide Details** button to turn it off and display the data from the table.

The numbers in the Units In Stock column are right-aligned. Let's center them.



13. Click the first text box control under the **Units In Stock** label, and on the **Format** contextual tab, in the **Font** group, click the **Center** button.


Now we'll add some color and format the text.



14. On the **Design** contextual tab, in the **Themes** group, click the **Themes** button, and in the gallery, click the **Austin** thumbnail.

Although nothing much appears to change, the report takes on the color scheme and font scheme assigned to the selected theme.

15. Inside the shaded area of the report header, but away from the title, click a blank area. On the **Format** contextual tab, in the **Control Formatting** group, click the **Shape Fill** button. Then under **Theme Colors** in the palette, click the third box (**Light Green, Background 2**).



When you created this report, alternate group headers were shaded with the same color as alternate data rows. This coloring confuses rather than clarifies the report structure. Let's turn off this alternate group header color.

16. Click outside the dotted border to the left of the first group header. In the **Background** group, click the **Alternate Row Color** arrow, and at the bottom of the palette, click **No Color**.



17. In the **Control Formatting** group, click the **Shape Fill** button, and in the palette, click a light brown color.

The entire group header is shaded except the alphabet controls (A, B, C, and so on) that you moved earlier. If you wanted to shade them as well, you could select one of them and repeat step 17 to apply the light brown fill.


18. Click outside the dotted border to the left of the first row of data in the report, and remove the alternate row color of the data rows. Then click the white space above the report header to see the result.

Only the backgrounds of the report header and group headers are now colored.

A	Product Name	Quantity Per Unit	Units In
	Ambrosia	6 - 2" pots	16
	American Pitcher Plant	1 ea.	4
	Anacharis	1 ea.	2
	Anemone	One dozen	26
	Animal repellent	1 qt.	3
	Animal trap	1 ea.	2
	Anise	6 - 2" pots	20
	Austrian Copper	Per plant	7
	Austrian Pine	One gal. container	10
	Autumn crocus	One dozen	0

Removing the alternate row color makes the structure of this report more obvious.

Tip Above the first object and below the last object of a report in Layout view are the only places you can click that don't select at least one object on the report.



19. Click any control, and then in the **Selection** group, click the **Select All** button.

Keyboard Shortcut Press **Ctrl+A** to select all the controls.

20. In the **Font** group, click the **Font Size** arrow, and then click **9**.

Tip It is usually most efficient to change the character formatting of all the controls and then adjust the ones you want to be different.

21. Click the report's title control, and then use the commands in the **Font** group to make the text 24 points, bold, and dark green.

22. Select the controls in the group header, and make them bold and dark green.

23. Scroll down the report, noticing that a few of the values in the **Units In Stock** column are 0.

We want these values to stand out in the report to remind buyers that it is time to order more of these products.


24. Click any control in the **Units In Stock** column. Then in the **Control Formatting** group, click the **Conditional Formatting** button.

The Conditional Formatting Rules Manager dialog box opens.

25. Click **New Rule**.




The New Formatting Rule dialog box opens.



You can create rules that compare the current field value to a specific value or to other values in the same field.

26. With **Check values in the current record or use an expression** selected as the rule type, in the **Format only cells where the** area, click the arrow for the second box, and click **less than**. Then in the third box, type **1**.
27. In the bottom area, click the **Bold** button, and change the **Font color** setting to red. Then click **OK**.

In the Conditional Formatting Rules Manager dialog box, the rule is listed in the Rule column with the formatting that will be applied to values that meet the rule's criteria in the Format column.



Values that are less than 1 will be bold and red.

28. Click **OK**. Then scroll down the report again, noticing that all the 0 values are now bold and red.

29. Close the report, clicking **Yes** to save your changes to its design.



CLEAN UP Retain the GardenCompany05 database for use in the last exercise.

Previewing and Printing Reports

Using Print Preview to preview Access reports is very similar to using this view in other Microsoft Office 2010 programs. If you preview your reports carefully, you won't have any major surprises when you print them.

When previewing reports, you will want to pay special attention to how the pages break. In a grouped report, you can control whether group headings are allowed to appear at the bottom of a page with no data and whether groups are allowed to break across pages.

You can make changes to the setup of your report pages from the Page Setup contextual tab in Layout view or from the tab displayed when you switch to Print Preview. For example, you can specify the following:

- Paper size
- Margins
- Orientation
- Number of columns
- Whether Access should print the report's structural elements or only its data

You can also click the Page Setup button to display the Page Setup dialog box, where you can change all these settings in one place, as well as make additional refinements.

When you are ready to print, you click the Print button on the Print Preview tab of the ribbon to display the Print dialog box. You can also display the Print page of the Backstage view and then print one copy of the report with the default print settings by clicking the Quick Print button.

In this exercise, you'll preview a report, and you'll specify that groups should not break across pages. Then you'll explore the available page setup and printing options.



SET UP You need the GardenCompany05 database you worked with in the preceding exercise to complete this exercise. Open the GardenCompany05 database, and then follow the steps.

1. In the **Navigation** pane, right click the **Alphabetical List of Products** report, and then click **Print Preview**.

Only the Print Preview tab appears on the ribbon.




- On the page navigation bar at the bottom of the window, click the **Next Page** button repeatedly to view each page of this report.

Because of the changes you made to the report in the previous exercise, the report is now six pages. Several of the groups start on one page and continue on the next page. For readability, let's fix this layout problem.


Lawn fertilizer	5 lbs.	16
Leaf blower	1 ea.	13
Leaf rake	1 ea.	6
Ullas	4 quartig.	18
Lily-of-the-Field	One dozen	34
Lily-of-the-Valley	3 quartig.	4
Long-handled shovel	1 ea.	6
Low volume sprinker	1 ea.	6
M		
Product Name	Quantity Per Unit	Units In Stock
Magic Lily	One dozen	40
Magnificca Hemerocallis	1 ea.	5
Mantua fork	1 ea.	0
Martin house	1 ea.	3
Mata rogalant	1 qt.	4
Marrow Hemerocallis	1 ea.	1
Murals of polish	10 lb. bag	0
O		
Product Name	Quantity Per Unit	Units In Stock
Optional grass catcher	1 ea.	0
Organic compost	5 lbs.	7
Organic fertilizer	5 lbs.	26
Oscillating sprinker	1 ea.	10
Oyster shells	5 lb bag	0
P		
Product Name	Quantity Per Unit	Units In Stock
Papyrus	1 ea.	3
Pea gravel	Per yard	15
Peas/hull meal	5 lb bag	0
Peat moss	5 lb bag	20
Peat pots	1 tray/20 ea.	15
Pennis	5 ea/100g.	20

The group at the top of this page is a continuation of one that started on the previous page.



- Switch to Layout view, and then on the **Design** tab, in the **Grouping & Totals** group, click the **Group & Sort** button.


The Group, Sort, And Total pane opens at the bottom of the report page.



You can use this pane to quickly add grouping and sorting levels and set related properties.

- In the **Group, Sort, and Total** pane, in the **Group on ProductName** bar, click **More**.

Access displays additional options.




These are the current grouping settings.

- Click the **do not keep group together on one page** arrow, and in the list, click **keep whole group together on one page**. Then close the **Group, Sort, and Total** pane by clicking the **Group & Sort** button again.


- Switch to Print Preview, and page through the report.

Now none of the groups is broken across pages. However, the report would look better with wider top, left, and right margins.



- On the **Print Preview** tab, in the **Page Layout** group, click the **Page Setup** button.

The Page Setup dialog box opens.



The *Print Options* page of the Page Setup dialog box.

8. Click the **Page** tab, and verify that the paper size is **Letter**.
9. Return to the **Print Options** page, and change the **Top**, **Left**, and **Right** margins to **0.75**. Then click **OK**.
10. Scroll through the report to see the results.

Although all the data in the report fits on the page, the page number in the footer is set too far to the right and is producing extra pages.
11. Switch to Layout view, scroll down to the bottom of the report, and then scroll to the right until you can see the page number.
12. Click the page number control, and move and resize it so that it aligns approximately with the **Units In Stock** column heading.
13. Switch to Print Preview, and page through the report.

The report now fits neatly on seven pages.
14. If you want, print the report by using the same techniques you would use to print any database object.
15. Close the report, clicking **Yes** to save your changes.

 **CLEAN UP** Close the `GardenCompany05` database.

Key Points

- When designing a report, consider the point you are trying to make, the intended audience, and the level of detail needed.
- You can create a report that displays only some of the fields in a table by using the Report wizard. The report can be sorted and grouped to summarize the data in a table in a meaningful way.
- You can refine a report in Layout view by manipulating its controls and setting its properties. You can also format the controls to structure and highlight data.
- In Print Preview, you can see how the report will look when printed and make adjustments before you print.

Index

A

ACCDB (Access Database) files

- file extension, 9
- format, 47

ACCDC (Access Deployment) files

- defined, 357
- opening, 326–327
- packaging databases as, 326

ACCDE (Access Database Executable) files

- creating, 323–325
- defined, 357
- distributing databases as, 324
- opening, 325
- overview of, 323
- saving original ACCDB file from, 323

Access 2003, upgrading from, xi

Access 2007, upgrading from, x

Access 2010

- closing, 13
- new features, ix
- starting, 4

Access add-ins, 345

Access button, 273, 286, 293

Access Data Collection Replies folder, 207

Access Database button, 320, 321

Access Database Executable (ACCDE) files

- creating, 323–325
- defined, 357
- distributing databases as, 324
- opening, 325
- overview of, 323
- saving original ACCDB file from, 323

Access Deployment (ACCDC) files

- defined, 357
- opening, 326–327
- packaging databases as, 326

Access Help button, 7

Access icon, 6

Access Options dialog box, 48, 129, 309, 336

- Add-Ins page, 342, 345
- AutoCorrect settings, 340
- Client Settings page, 341
- Current Database page, 337
- Customize Ribbon page, 346–347, 350

- Datasheet page, 338

- default file format options, 336

- font options, setting, 338

- gridline display options, 338

- Language page, 340

- Live Preview options, 336

- Object Designers page, 339

- opening, 336

- Proofing page, 340

- Quick Access Toolbar page, 351, 352

- spelling options, setting, 340

- Trust Center page, 343

- user interface options, 336

Access Services, publishing databases to, 51

action queries, 209

- creating, 231

- defined, 357

- overview of, 231

- types of, 231

Add Existing Fields button, 181, 185, 244

+ add operator, 160

add-ins

- installing, 345

- options, setting, 342

- overview of, 345

- security of, 345

- sources of, 345

Add-Ins dialog box, 345

address books, Outlook, importing

- data from, 269

adjusting columns to fit contents, 61

Advanced button, 277

Advanced Filter Options button, 113, 116, 119

Advanced Filter/Sort command, 115

aggregate functions, 221

- defined, 357

- in queries, adding, 222

Align Text Right button, 185

aligning

- controls, 194, 250

- labels, in forms, 94

- text, in forms, 185

alphabetical sorting, 102, 103

Alternate Row Color button, 133

& character, 152, 158

& text concatenation operator, 160, 252

Analyze Performance button, 329
 Analyze Performance utility, 328, 329
 Analyze Table utility, 258
 Anchoring button, 194
 anchoring forms, 195
 Anchoring gallery, 194
 And operator, 159
 append queries, 231, 357
 application icon, changing, 310
 application parts, 45. *See also* templates
 adding to databases, 50
 defined, 357
 Application Parts button, 50
 applications, database, 358. *See also* templates
 arithmetic operators, 160, 357
 arrows on buttons, 7
 Ascending button, 105
 ASCII file extension, 276
 * asterisk as wildcard, 113, 115
 in validation rules, 162
 asterisk icon on record selector, 53
 Attachment data type, 144, 145, 283
 AutoCorrect options, setting, 340
 automatic error checking, 129
 AutoNumber data type, 144, 145, 149
 Avg function, 221, 223

B

Back button, xxviii
 back-end databases
 creating, 320–321
 defined, 357
 backing up
 before running update queries, 231
 overview of, 328
 selecting location for, 329
 Backstage view
 displaying, 4, 6, 9
 New page, 5
 overview of, 4
 balloons. *See* ScreenTips
 binary files, 316, 357
 bolding text, 89
 book exercise format, xx
 book features and conventions, xxi
 Boolean data type, 144, 146
 bound controls, 187, 357
 Browse button, 48

building custom formats, 158
 building expressions, 160–161, 164, 228
 Button button, 253
 buttons
 arrows on, 7
 viewing information on. *See* ScreenTips
 Byte field size (Number fields), 149–150

C

calculated controls, 188
 Calculated data type, 145
 calculating data,
 with queries, 224, 226, 228
 vs. storing data, 224
 calendar, inserting, 148
 Calendar button, 148
 captions, changing, 68, 92, 194
 captions vs. field names, 85
 Cascade Delete option, 235
 categories. *See also* groups
 creating, 306
 expanding, 20
 overview of, 305
 Ccur function, 227
 Center button, 133, 249
 centering text in controls, 133, 249
 Change Shape button, 304
 Chart button, 253
 Chart wizard, 253
 charts, adding to forms/reports, 253
 checking spelling, 340
 Clear Layout button, 173
 Close button, 13, 20, 57
 Close Print Preview button, 42
 closing
 Access 2010, 13
 database objects, 13, 20, 29, 57
 databases, 13
 program window, 6
 Collapse button, 20
 collapsing
 ribbon, 13
 subdatasheets, 20
 colors
 changing, 91
 in forms, 183
 in reports, 133

- Colors button, 85**
- Colors dialog box, 91**
- columns, 16**
 - adjusting to fit contents, 61
 - deleting, 219
 - hiding, 62, 63
 - resizing, 19
 - selecting, 94
 - selecting multiple, 105
- COM add-ins, 345**
- Combo Box button, 192**
- combo boxes, 167, 192, 357**
- comma-delimited text files, 357**
- Command Button wizard, 253**
- command buttons**
 - adding to forms/reports, 253
 - defined, 357
- commands, adding/removing from ribbon, 349**
- Compact and Repair Database utility, 328–329**
- compacting databases, 328–329**
- comparison operators, 159, 357**
- completing records, 54**
- conditional formatting, applying to reports, 134–135**
- Conditional Formatting button, 134**
- Conditional Formatting Rules Manager dialog box, 134–135**
- constants, 357**
- Control Margins button, 96**
- control properties, 357**
- control source, 85, 193, 357**
- Control Wizards**
 - activating, 197
 - deactivating, 191
- controlling data. *See* restricting data**
- controls. *See also* combo boxes; label controls; text box controls**
 - aligning, 194, 250
 - bound, 187, 357
 - calculated, 188
 - captions, changing, 194
 - centering, 133, 249
 - chart, 253
 - command button, 357
 - copying formatting of, 192
 - Date And Time, 248–249
 - defined, 357
 - deleting, 188
 - disabling, 184
 - grouping, 250
 - image, 188
 - keyboard shortcuts for moving, 131
 - layouts, imposing, 260
 - in layouts, moving, 261
 - moving, 97, 131, 139, 185
 - navigation, 360
 - numbers assigned to, 192
 - option button, 360
 - organizing, 188
 - overview of, 77
 - Page Break, 188
 - properties, changing, 91
 - rearranging, 245
 - resizing, 95
 - selecting, 80
 - selecting all, 90, 96, 134
 - selecting multiple, 132
 - Size Mode property, 189
 - sizing to fit, 184, 248
 - snapping to grid, 249
 - source, changing, 193
 - Tab, 188
 - tab order, changing, 98
 - unbound, 188, 362
- Controls button, 28**
- Controls gallery, 28, 189**
- converting currency, 227**
- Copy button, 58, 292, 293, 294**
- copying**
 - into Access, 292
 - cells, 293
 - Excel worksheets, 293
 - formatting, 192
 - keyboard shortcut for, 292
 - tables, 54, 58, 231
- Count function, 221**
- Create button, 49, 55**
- Create E-mail button, 205**
- Create Microsoft Access Signed Package dialog box, 327**
- Create tab, 11, 12**
- creating navigation forms, 300**
- creating passwords, 316**
- creating reports, 242–243**
- criteria in queries, 217, 219, 233**
- Criteria row of query design grid, 217**
- crosstab queries, 210**
- currency conversion function, 227**
- Currency data type, 144, 147**
- Currency field input masks, 151**

custom categories. *See also* groups

- creating, 306
- expanding, 20
- overview of, 305

Custom Filter dialog box, 109

custom formats, 158

custom groups. *See* groups

Customize Input Mask Wizard dialog box, 157

customizing

- input masks, 157
- ribbon, 346–347, 350
- themes, 86, 91

D

data entry forms, 300

data inconsistencies, limiting, 167

data integrity, enabling, 174

data organization, 52

data restrictions. *See* restricting data

Data Type column, 65

data types

- changing, 65–66, 175
- compatible with validation rules, 159
- gallery of, 145–146
- overview of, 144
- for ZIP codes, 67

database applications, 358. *See also* templates

database design, 60, 224

Database Documenter button, 331

Database Documenter utility, 328, 331–332

database executable files

- creating, 323–325
- defined, 357
- distributing databases as, 324
- opening, 325
- overview of, 323
- saving original ACCDB file from, 323

database objects, 234. *See also* forms; queries; reports; tables

- closing all, 29
- creating, 11
- defined, 3, 358
- exporting, 282, 358
- groups of. *See* application parts
- importing, 267
- listing all, 50
- printing, 38
- shortcuts to. *See* categories; groups
- uses for, 16
- in Web databases, 51

database passwords, 360

- encryption and, 316
- entering, 320
- guidelines for, 316
- limitations of, 317
- overview of, 316
- removing, 320
- secure, 361
- setting, 318, 319

database programs, 358

database properties, 318

database security, 315

Database Splitter wizard, 320–321

database templates. *See* templates

Database Tools tab, 13

databases

- adding to trusted locations, 15
- back-end, 357
- closing, 13
- creating, 5, 49, 55
- default location, 48
- default name, 55
- display options, 337
- file extension, 47
- flat, 359
- front-end, 359
- home pages, setting, 311
- icons, changing, 310
- importing into existing, 267
- linking to, 281
- naming, 47
- non-Access, importing data from, 269
- opening, 5, 8
- opening for exclusive use, 316–317
- opening multiple, 287
- overview of, 101
- page setup, changing, 40
- path, default, 48
- populating, 45, 360
- printing, 38
- publishing, 51
- relational, 361
- split, 361
- splitting, 320–322
- SQL, 361
- structure of, 16–17
- titles, changing, 310

databases, Web

- Access Services, 51
- aggregate functions in, 221
- creating, 51
- forms for, 78

- layouts, 260
- navigation forms. *See* navigation forms
- objects in, 51
- publishing databases as, 51
- queries in, 221
- Datasheet Formatting dialog box, 11**
- datasheet forms, 204, 300**
- Datasheet view**
 - defined, 358
 - switching to, 68
- Datasheet View button, 234**
- Datasheet view (forms), 24**
- Datasheet view (tables)**
 - opening tables in, 17
 - Rich Text data type, 145
 - structure of, 18
- datasheets, 18**
 - embedded. *See* subdatasheets
 - results, 361
- Date And Time button, 248**
- Date And Time dialog box, 248**
- date format, 147**
- date, inserting 148**
- Date/Time data type, 144**
- Date/Time fields, 148, 151**
- date/time in reports, adding, 248**
- dates, filtering options for, 111**
- deactivating Control Wizards, 191**
- Decimal field size (Number fields), 149**
- decrypting databases, 320**
- Default Database Path dialog box, 48**
- defining table structure, 53**
- Delete button, 58, 66, 173, 236**
- Delete Columns button, 219**
- delete queries, 231**
 - Cascade Delete option, 235
 - constructing, 237
 - converting to select queries, 238
 - creating, 236
 - defined, 358
 - reviewing relationships before running, 235
- deleting**
 - controls, 188
 - fields, 66, 173
 - layout rows/columns, 261
 - layouts, 260
 - records, 235. *See also* delete queries
 - relationships, 173
 - tables, 58, 173, 218
- delimited text files**
 - defined, 358
 - file extension for, 276
 - importing data from, 268, 276, 278
- delimiters, 358**
- Descending button, 104**
- Description column, 65**
- Design contextual tab, 22**
- design grid**
 - defined, 358
 - filtering criteria, entering, 116–118
 - in forms, 181
 - queries in, 32
 - in reports, 242
 - snapping to, 249
- Design view, 358**
- Design View button, 21, 31, 36, 183, 213**
- Design view (forms)**
 - creating forms in, 78, 204
 - layout, changing, 183
 - options, setting, 339
 - overview of, 24, 180
 - subforms in, 200
 - switching to Form view from, 27
 - uses for, 181
- Design view (queries)**
 - creating queries in, 217
 - displaying queries in, 213
 - options, setting, 339
 - overview of, 32, 216
 - switching to, 31
- Design view (reports), 36, 242**
 - vs. Layout view, 247
 - options, setting, 339
 - overview of, 33
 - uses for, 243
- Design view (tables), 147**
 - data type, setting, 144
 - field size property, 150
 - opening tables in, 17, 64, 66
 - options, setting, 339
 - switching to, 21
 - validation rules in, 163
- designing databases, 60**
- Detail section of forms**
 - overview of, 179
 - resizing, 185
- dialog box launcher, 7, 358**
- Digital Signature Details dialog box, 327**

digital signatures, creating/purchasing, 326
 directory paths, 48
 disabling
 macros, 15
 text box controls, 184
 Discontinued field, 235
 display options, 337
 distributing databases
 as ACCDE files, 324
 protecting data when, 323
 / divide operator, 160
 Documenter dialog box, 331
 documents, Word, exporting data to, 283
 double-clicking tabs, 13
 Double field size (Number fields), 149
 downloading practice files, xxiii
 drop-down lists (lookup lists)
 creating, 168
 editing, disabling, 170
 limiting to list items, 170
 multicolumn, 171
 Quick Start, 167
 viewing, 170
 duplicate queries, 358
 duplicate records, finding, 210

E

Edit List Items dialog box, 170
 Edit Relationships dialog box, 73
 editing expressions, 162
 editing lookup lists, disabling, 170
 efficiency of relationships, 172
 Ellipsis button, 153, 257
 e-mail forms
 collecting data with, 205
 overview of, 205–206
 responses to, 207
 embedded datasheets. *See* subdatasheets
 empty fields, vs. Null fields, 166
 empty strings, 166, 358
 Enable Content button, 15
 enabling data integrity, 174
 encryption
 defined, 358
 passwords and, 316
 removing, 320
 enforcing referential integrity, 73
 Enter Parameter Value dialog box, 220
 Enter Validation Message dialog box, 163

entering data
 in forms, ease of process, 179
 limiting to list, 167
 = equal operator, 159
 error checking, 129
 Excel button, 279, 287
 Excel spreadsheets, importing data from, 279
 Excel workbooks, exporting data to, 287
 Excel worksheets
 copying and pasting data from, 293
 exporting data to, 283
 importing data from, 268
 exclusive use, opening databases for,
 316–317, 358
 Expand button, 20
 Expand The Ribbon button, 7, 352
 expanding ribbon, 7, 352
 Export dialog box, 286
 Export Text wizard, 290
 Export wizard, 285
 Export XML dialog box, 285
 exporting data
 Attachment data type, 283
 to Excel worksheets, 283, 287
 from forms, 282
 to HTML files, 285
 overview of, 282
 to PDF files, 284
 from queries, 282
 from reports, 282
 Rich Text data type, 283
 to SharePoint lists, 285
 from tables, 282
 to text files, 284, 288, 290
 to Word documents, 283
 to XML files, 285
 to XPS files, 284
 exporting database objects, 358
 exporting tables, 285–286
 Expression Builder, 160, 257, 358
 Expression Builder dialog box, 160, 161, 164,
 226, 229
 expressions. *See also* validation rules
 building, 160–161, 164, 228
 defined, 159, 358
 editing, 162
 operators in, 159, 161
 in queries, 226
 square brackets in, 165
 uses for, 159

Extensible Markup Language (XML), 358
 extensions, file name, 47
 External Data tab, 12
 Extract Database To dialog box, 327
 extracting unique values from field, 193

F

features and conventions of book, xxi
 Field List pane, displaying, 181, 185
 field lists in queries, 217
 asterisk in, 218
 Field Name column, 65
 field names vs. captions, 85
 field properties, 66, 358
 Field Properties area, 66
 Field row of query design grid, 216
 field validation, 159
 fields
 adding to forms, 181, 185
 adding to queries, 217
 adding to reports, 244
 Allow Zero Length property, 166
 captions, changing, 68
 data integrity, enabling, 174
 data type, specifying, 65, 66
 default value, setting, 167, 170
 defined, 358
 deleting, 66, 173
 description of, 65, 66
 excluding from results datasheet, 214
 filtering records by, 107
 freezing, 63
 hiding, 62, 214
 indexing, 166
 inserting, 68
 limiting to list items, 170
 moving, 64
 multivalued, 177
 naming, 65–66, 145
 naming conventions, 56
 Null, vs. empty, 166
 as primary keys, setting, 175
 properties, viewing, 66
 Quick Start, 55, 59
 removing from queries, 212
 renaming, 54, 56
 requiring, 166

resizing, 61
 restricting data in. *See* restricting data
 restricting size, 150
 selecting, 65, 164
 selecting adjacent, 62, 63
 size, specifying, 67, 149–150
 sizing to fit contents, 19
 unfreezing, 63
 unhiding, 62
 Unique property, 166
 validation rules for. *See* validation rules

file extensions

conventions for, 47
 default options, setting, 336
 for text files, 276

File New Database dialog box, 48

File Save dialog box, 286

Filter button, 108, 109

filtering Navigation pane, 9

filtering records

advanced options for, 113
 customizing filters, 109
 date filtering options, 111
 with design grid criteria, 116–118
 in forms, 107
 with forms, 111–113
 limited scope of, 210
 with multiple criteria, 114–115
 options for, 109
 specifying criteria for, 108–109
 toggling filter, 108

filters

defined, 358
 saving as queries, 119

Find And Replace dialog box, 110

Find button, 110

Find Duplicates Query wizard, 358

Find Unmatched Query wizard, 362

finding

duplicate records, 210
 text, 231
 unmatched records, 210
 values, 110

First Page button, 40

First Record button, 202

fixed-width text files

defined, 359
 file extension for, 276
 importing data from, 268

flat databases, 16, 359

folder paths, 48

font size, 87, 134

Font Size arrow, 87, 134

font weight, 89

fonts

options, setting, 338

in reports, modifying, 248

Fonts button, 85

footers in reports, 127

foreign keys, 69, 360

Form button, 78, 79, 80, 196

Form Design button, 204

Form Design Tools contextual tabs, 27

Form Footer, 179

Form Header

color, changing, 183, 190

overview of, 179

resizing, 183, 188

selecting, 183

form sections, sizing, 184

form selectors, 359

Form view

defined, 24

for navigation forms, 303

switching to/from, 27, 81

Form View button, 81, 186

Form wizard, 181–182, 196

Form Wizard button, 181, 196

Format Painter button, 192

format previewing, 336

Format property (tables), 151

formatting, copying, 192

formatting rules, applying to reports, 134–135

formatting subreports, 256

formatting Text fields, 158

forms. *See also* Detail section of forms; Form

Footer; Form Header; navigation forms;

subforms

aligning labels in, 94

aligning text, 185

anchoring, 195

automatic error checking, 129

basing on tables, 80

blank, creating, 204

bound to tables, 85

charts, adding, 253

combo boxes, inserting, 192

command buttons, adding, 253

controls. *See* controls

control source, 85

creating, 78, 80, 24, 181

creating with all fields, 180

customizing layout, 93

for data entry, 300

datasheet, 204, 300

default layout, 93

defined, 359

design grid, 181

in Design view, 180–183, 204

ease of data entry, 179

e-mail, 205–207

entering data in, 82

export formats, 282

field layout, 182

fields, adding, 181, 185

filtering records in, 107

filtering records with, 111–113

font size, changing, 87

font weight, changing, 89

hyperlinks, adding, 253

images, adding, 188

label captions, changing, 92

layout, removing, 97

in Layout view, 80, 86, 93–94, 180, 204

lines, drawing on, 194

logos, adding, 301

main, 359

margins, setting, 96

Modal Dialog, 204

Multiple Items, 204

navigating, 81, 83, 84

navigation, 204, 360

opening, 24

overview of, 24

PivotCharts, 204

PivotTables, 204

printing, 42

properties in, 85, 88

Property Sheet, displaying, 88

record source, 85

reports and, 247

vs. reports, 121

resizing sections, 183, 185

restricting edits to, 300

saving, 84, 92

selecting all controls, 90

selecting columns, 94

selecting controls, 185

shadow effects, 91

- shape outlines, setting color, 194
- sizing, 195
- sizing controls to fit, 184
- sizing sections, 184
- sorting records in, 102
- Split, 204
- Stacked layout, 93
- stretching across top, 195
- sub, 24
- survey, 205–207
- synchronizing with tables, 84
- tabular layout, 93
- themes, changing, 183
- title, changing, 301
- viewing list of, 24
- views, 24
- views, switching, 27
- tab order, changing, 98
- for Web databases, 78

Forms button, 354

formulas. See expressions

Forward button, xxviii

freezing fields, 63

front-end databases

- creating, 320, 322

- defined, 359

functions

- aggregate, 221

- defined, 359

G

Get External Data wizard, 266, 270, 273, 276, 279

> greater than operator, 159

grid display, 247, 249, 338

group headers in reports, 122

- previewing, 136

- removing labels from, 131

- resizing, 132

Group, Sort, And Total pane, 137

Group & Sort button, 137, 244

grouping

- controls, 250

- levels, 359

- records, 102. *See also* sorting records

- report data, 137, 243

- report intervals, 125

groups. See also categories

- adding to ribbon, 348

- creating, 306

- defined, 359

- hiding, 308

- moving objects into, 307–308

- Navigation pane, 359

- overview of, 305

- redisplaying, 308

- removing from ribbon, 348

- report, 125, 137, 243, 245

- Unassigned Objects, 307

H

headers/footers in reports

- adding, 243

- sizing, 245

- in subreports, adding, 257

height, row, 62

Help button, 7

Help window

- navigating in, xxviii

- opening, xxv, xxvi

- printing from, xxix

- related topics, viewing, xxix

- resizing, xxvi

- searching in, xxviii

- Show All button, xxix

- table of contents, displaying, xxvii

- topics, displaying, xxvi

help with book, xxv

Hide Details button, 131

hiding

- columns, 62, 63

- fields, 62, 214

- groups, 308

- record selectors, 187

- report controls, 131

- ribbon, 352

- ribbon commands, 7

- subdatasheets, 20

home pages

- navigation forms as, 299

- setting, 311

Home tab, 9–10

Horizontal Tabs layouts (navigation forms), 298, 300

HTML files

- exporting data to, 285

- importing data from, 271

- viewing tags for, 285

- vs. XML files, 272

HTML (Hypertext Markup Language), 359

HTML tags,
 defined, 359
 viewing, 285

Hyperlink button, 253

Hyperlink data type, 144

hyperlinks, adding, 253

I

icons, changing, 310

ID field, 65

images, inserting, 188

Import Objects dialog box, 274

Import Specification dialog box, 278

Import Spreadsheet wizard, 279

Import Text wizard, 276, 278

importing data

 from delimited text files, 268, 276, 278

 from Excel worksheets, 268, 279

 from fixed-width text files, 268

 from HTML files, 271

 vs. linking to data, 281

 from Lotus 1-2-3, 268

 matching field names/data types when, 277

 with mismatched data structure, 266, 268

 from non-Access databases, 269

 from older programs, 268

 from other databases, 267

 from Outlook address books, 269

 from Outlook folders, 269

 with saved operation, 267

 saving steps for, 266, 277

 setting Outlook task as reminder, 267

 from SharePoint lists, 269, 270, 271

 source file, specifying, 266

 from text files, 268

 from XML files, 272

importing queries, 267

importing tables, 267, 359

inconsistent data, limiting, 167

indexing field data, 166

Info page, displaying, 317

information bar. *See* status bar

Input Mask property, 151

Input Mask wizard, 151, 153, 157

input masks

 common characters in, 152, 157

 conventions for, 155

 creating, 152–153, 155

 creating custom, 157

 defined, 359

 literal characters in, 152

 overview of, 151

 for telephone numbers, 151

 testing, 156

 text in, 153

Insert Hyperlink dialog box, 253

Insert Image button, 188

Insert Picture dialog box, 87, 188

Insert Rows button, 153

inserting images, 188

installing add-ins, 345

Integer field size (Number fields), 149

international languages, setting up, 340

intuitive primary keys, 172

K

keyboard shortcuts, 363

 for copying tables, 231

 for copying text, 292

 for moving controls, 131

 for navigating, 21

 for opening Field List, 185

 for opening Property Sheet, 87, 184, 245

 for pasting text, 293

 for Save As dialog box, 147

 for selecting all, 134

keys

 foreign, 360

 primary, 360

L

Label button, 190, 250

label controls

 adding to labels, 190

 defined, 359

 moving with, 185

 overview of, 77

labels

- changing, 194
- changing names, 92
- control, 190
- creating, 34
- font size, changing, 87
- font weight, changing, 89
- moving with controls, 185
- Landscape button, 40**
- Landscape orientation, 40**
- languages, setting options for, 340**
- Last Page button, 36**
- Last Record button, 84**
- layout, form**
 - customizing, 93
 - removing, 97
 - tabular, 93
- layout, navigation form, 298, 300**
- layout, report, 127, 260**
- Layout View button, 130**
- Layout view (forms), 181**
 - creating forms in, 78, 204
 - opening forms in, 86
 - overview of, 80, 93, 180
 - switching to, 94
- Layout view (navigation forms), 299**
- Layout view (reports), 129–130**
 - vs. Design view, 247
 - overview of, 33
- layouts**
 - columns, adding, 261
 - controls, moving, 261
 - merging cells in, 261
 - rows, adding, 260
 - splitting cells in, 261
- < less than operator, 159**
- levels, grouping, 359**
- Like operator, 113, 116, 160**
- lines, drawing on forms, 194**
- linking**
 - to data in other programs, 359
 - vs. importing, 281
 - tables, 269, 281. *See also* relationships
- literal characters in input masks, 152**
- Live Preview options, 336**
- logical operators, 159, 359**
- Logo button, 87, 301**
- logos, adding to forms, 87, 301**
- Long Integer field size (Number fields), 149**

lookup fields

- creating, 175
- linking to other tables, 173
- lookup lists**
 - creating, 168
 - editing, disabling, 170
 - limiting to list items, 170
 - multicolumn, 171
 - Quick Start, 167
 - viewing, 170
- Lookup wizard, 167–168, 173, 175, 359**
- Lotus 1-2-3, importing data from, 268**

M

- macros, 14–15, 49**
- mailing label reports, 34**
- main forms, defined, 359**
- main reports, defined, 359**
- make-table queries, 231, 359**
- Manage Data Collection Messages dialog box, 207**
- Manage Replies button, 207**
- many-to-many relationships, 70, 359**
- mapped network drives, 359**
- margins,**
 - in forms, 96
 - in reports, 139
- masks, input**
 - common characters in, 152, 157
 - conventions for, 155
 - creating, 152–153, 155
 - creating custom, 157
 - defined, 359
 - literal characters in, 152
 - overview of, 151
 - for telephone numbers, 151
 - testing, 156
 - text in, 153
- Max function, 221**
- maximum field size, specifying, 67**
- .mdb file extension, 9**
- MDE files. *See* ACCDE (Access Database Executable) files**
- Memo data type, 144**
- menus, restricting, 311**
- Merge button, 261**
- merging layout cells, 261**

messages for validation rules, 160, 163

Microsoft Access 2010

closing, 13

new features, ix

starting, 4

Microsoft Access Help button, xxv, xxvi

Microsoft Database Executable (MDE) files. *See*

ACCDE (Access Database Executable) files

Microsoft Knowledge Base, xxix

Microsoft Office Security Options dialog box, 15

Microsoft Office Trusted Location dialog box, 15

Microsoft Press Technical Support, xxv

Microsoft Product Support Services, xxix

Microsoft Visual Basic for Applications (VBA) macros, 14, 15

Min function, 221

Minimize The Ribbon button, 7, 352

minimizing ribbon, 7, 352

Modal Dialog forms, 204

More button, 28, 62

More Fields button, 59, 145, 146, 167, 173

More Forms button, 204

Move All button, 212

moving

fields, 64

program window, 6

Multiple Items forms, 204

* multiply operator, 160

multiplying with queries, 228

multivalued fields, 177

N

named ranges, 360

naming

databases, 47

fields, 65–66, 145

navigation form buttons, 299

reports, 128

navigating

forms, 81–84

Help window, xxviii

keyboard shortcuts for, 21

records, 21

reports, 36, 137

tables, 53–55

Navigation button, 204, 298, 300

navigation buttons

formatting, 304

Quick Styles, applying, 304

shape, changing, 304

navigation controls, 360

navigation forms, 204

active buttons, 303

buttons, formatting, 304

buttons, naming, 302

color, changing, 301

creating, 300

defined, 360

as default startup page, 299

in Form view, 303

as home pages in Web databases, 299

in Layout view, 299

layouts, 298, 300

logos, adding, 301

naming buttons, 299

overview of, 298

structure of, 299

tab, customizing, 301

tables and queries in, 298

title, changing, 301

Navigation Options dialog box, 306, 338

Navigation pane, 7, 9, 49, 360

disabling by default, 311

displaying, 8

filtering, 9

groups, 359

opening, 19, 49

special key combination for, 311

nested queries, 224

network shares, 360

New (Blank) Record button, 81

New Formatting Rule dialog box, 135

New icon on record selector, 53

New Query dialog box, 211

New Record button, 157

Next Page button, 40, 137

Next Record button, 21, 26, 202

normalization, 60, 360

Not operator, 159

Null values,

defined, 358

vs. empty fields, 166

Number data type, 144

Field Size property, 149

- Number fields, 149
 - automatic rounding in, 151
 - input masks, 151
- numbering format, 147
- numbers, sorting, 106
- numeric fields in reports, summarizing, 127

O

- objects, database, 234. *See also* forms; queries; reports; tables
 - closing all, 29
 - creating, 11
 - defined, 3, 358
 - exporting, 282, 358
 - groups of. *See* application parts
 - listing all, 50
 - printing, 38
 - shortcuts to. *See* categories; groups
 - uses for, 16
 - in Web databases, 51
- Office theme, 85
- OLE Object data type, 144
- one-to-many relationships, 69, 360
- one-to-one relationships, 70, 360
- Open dialog box, 8
- opening ACCDE files, 325
- opening Access 2010, 4, 8
- opening databases, 5, 8
 - for exclusive use, 316–317
 - multiple, 287
- opening forms, 24
- opening Property Sheet, 184, 193
- opening tables, 9, 17–18, 61, 64, 66
- opening Trust Center, 15
- operators
 - arithmetic, 160, 357
 - comparison, 159, 357
 - including in expressions, 161
 - logical, 159, 359
 - text concatenation (&), 252
- option button controls, 360
- options, configuring. *See* Access Options dialog box
- Or operator, 159
- Or row of query design grid, 217
- Outlook folders, importing data from, 269
- Outlook tasks, for importing data, 267
- overlapping windows vs. tabbed pages, 22

P

- Package And Sign tool, 326
- packaging databases as ACCDC files, 326
- Page Break control, 188
- page breaks in reports, 136
- Page Numbers button, 251
- Page Numbers dialog box, 251–252
- page numbers in reports, 251–252
- page orientation, 40, 127
- Page Setup button, 136, 138
- Page Setup dialog box, 136, 138
- page tabs, 361
- paper size for reports, 139
- parameter queries, 217, 360
- parameter values, 220
- Password Required dialog box, 319
- passwords
 - defined, 360
 - encryption and, 316
 - entering, 320
 - guidelines for, 316
 - limitations of, 317
 - overview of, 316
 - removing, 320
 - secure, 361
 - setting, 318–319
- Paste As dialog box, 300
- Paste button, 58, 293
- Paste Table As dialog box, 58, 231
- pasting
 - tables, 54, 58, 292
 - text, 293
- path, default, 48
- PDF files
 - benefits of, 284
 - creating, 284
 - exporting data to, 284
- PDF Or XPS button, 284
- pencil icon, 53
- Performance Analyzer dialog box, 329
- phone numbers, input masks for, 151, 154
- pictures, inserting, 188
- PivotCharts, 204
- PivotTables, 204
- placeholder navigation buttons, 299
- populating databases, 45, 360
- populating tables, 53, 54, 56
- popup tips. *See* ScreenTips
- portrait orientation for reports, 127

practice files

- downloading, xxiii
- list of, xxiii

preventing data from being entered.

See restricting data

previewing formats. *See Live Preview options***previewing reports, 129, 136****Previous Page button, 36****Previous Record button, 83****Primary Key button, 65, 175****Primary Key icon, 65****primary keys, 69, 360**

- designating, 65
- efficiency of, 172
- icon for, 65
- intuitive, vs. autogenerated, 172
- overview of, 53
- removing, 65
- setting, 175
- turning off, 175

Print button, 41, 136**Print dialog box, 38, 41, 136****Print page, 39****print preview**

- closing, 42
- navigating reports in, 137
- overview of, 33–34, 136
- for tables, 39
- viewing, 136
- zooming in, 130

Print Table Definition dialog box, 331**printing, 354**

- database objects, 38
- databases, 38
- forms, 42
- Help topics, xxix
- reports, 136

processing queries, 29–32, 213, 215, 219**program options. *See Access Options dialog box*****program window, 6****propagating properties, 157****properties**

- control, 357
- database, 318
- defined, 360
- field, 66
- form, 85, 88
- propagating, 157

Property Sheet

- displaying, 88
- keyboard shortcut for, 87, 245
- opening, 184, 193, 245, 247
- for reports, displaying, 132
- resizing, 89
- for subreports, displaying, 255

Property Sheet button, 87, 132, 184, 245**Property Update Options button, 157****protecting data, 323. *See also backing up; database security; passwords*****Publish As PDF Or XPS dialog box, 284****publishers**

- defined, 360
- trusting, 14
- trusting all files from, 327

publishing databases, 51**Q****queries. *See also action queries; select queries***

- adding fields, 217
- aggregate functions, adding, 222
- basing reports on, 242
- calculating with, 224, 226, 228
- columns, deleting, 219
- composition of, 211
- creating, 29, 116–118, 211
- creating manually, 217
- criteria, 217, 219, 233
- crosstab, 210
- defined, 360
- delete, 358
- deleting fields, 212
- in design grid, 32
- in Design view, 31, 213, 216–217
- duplicate, 358
- export formats, 282
- hiding fields, 214
- importing, 267
- list of, displaying, 30
- make-table, 359
- multiplication with, 228
- in navigation forms, 298
- nested, 224
- operators, drop-down list of, 219
- overview of, 29
- parameter, 217, 360

- parameter values, entering, 220
- prompts for, 217
- properties, displaying, 30
- relationships in, 32, 214
- running, 29, 31, 213, 215, 219
- saving, 29
- saving filters as, 119
- select, 361
- sorting results, 214
- SQL, 231
- summarizing data with, 221
- tables in, 218
- update, 362
- in Web databases, 221
- Query Design button, 217**
- query design grid, 213, 222**
- Query Designer, 213, 216**
- Query Tools Design contextual tab, 31, 218**
- Query wizard, 29, 210–211, 232**
- Query Wizard button, 211, 232**
- question mark button, xxv
- ? question mark as wildcard, 115
- Quick Access Toolbar**
 - buttons, adding to, 352
 - commands, adding, 353
 - creating for active database, 352
 - customizing, 351, 352
 - defined, 360
 - moving, 6, 352
 - resetting to original configuration, 354
 - separator line, adding, 353
- Quick Print button, 136, 354**
- Quick Start fields, 55, 59**
- Quick Start lookup lists, 167**
- Quick Styles button, 304**
- Quick Styles for navigation buttons, 304**

R

- read-only forms, 300**

records

- attaching files to, 144
- completing, 54
- defined, 361
- deleting, with queries. *See* delete queries
- duplicate, finding, 210

- filtering. *See* filtering records
- grouping, 102. *See also* sorting records
- incrementing ID value for, 54
- jumping to, 21
- marking as finished, 54
- navigating, 21
- removing sort, 104
- saving, 54, 55
- sorting, 102–105, 361
- unmatched, finding, 210

record selectors, 361

- icons for, 53
- turning off, 187

record source, 85, 361

Redo button, 6

referential integrity

- defined, 361
- enforcing, 70, 73

Refresh All button, 84

refreshing table data, 84

region and language settings, 147

relational databases, 16, 361

Relationship Tools contextual tab, 72

relationships

- creating, 70–71
- defined, 361
- deleting, 173
- editing, 73–74
- efficiency of, improving, 172
- enforcing referential integrity, 73
- many-to-many, 70, 359
- one-to-many, 69, 360
- one-to-one, 70, 360
- overview of, 69
- in queries, 214
- restricting data with, 172

Relationships button, 70, 71, 172, 176, 235

Relationships page, 72, 173

Remove button, 212

Remove Sort button, 104

removing. *See* deleting

renaming

- fields, 54
- tables, 58
- tabs, 349

repairing databases, 328

Replication ID field size (Number fields), 149

Report button, 123**report controls**

- aligning, 250
- centering, 133, 249
- grouping, 250
- hiding, 131
- moving, 131, 139
- rearranging, 245
- resizing, 131
- selecting all, 134
- selecting multiple, 132
- sizing to fit, 248

Report Design button, 243**report design grid, 243****Report Design Tools contextual tabs, 36****Report Layout Tools contextual tabs, 130****report selectors, 247, 361****Report tool, 122****Report view, 33****Report View button, 42****Report wizard, 242**

- overview of, 122
- starting, 124

Report Wizard button, 124**reports. *See also* report controls; subreports**

- automatic error checking, 129
- charts, adding, 253
- colors, changing, 133, 247
- command buttons, adding, 253
- conditional formatting, 134, 135
- creating, 122–124
- creating, manually, 242–243
- date/time, adding, 248
- defined, 361
- design grid, 242
- in Design view, 36, 242–243
- Design view vs. Layout view, 247
- export formats, 282
- expressions, adding to, 257
- field width, adjusting, 127
- fields, adding, 124, 244
- font size, changing, 134
- fonts, modifying, 248
- formatting conditionally, 134–135
- forms and, 247
- vs. forms, 121
- grid, setting up, 247
- group footers, inserting, 127
- group headers, removing labels from, 131
- grouping data in, 243

- grouping fields in, 122, 125, 137
- grouping intervals, setting, 125
- groups, adding, 245
- headers/footers, adding, 243
- hyperlinks, adding, 253
- including all fields in, 123
- layout, selecting, 127
- Layout view, 129–130
- layouts, 260
- list of, displaying, 34
- main, 359
- margins, setting, 139
- modifying, 247
- multiple tables in, 242
- naming, 128
- navigating, 36, 137
- numeric data in, summarizing, 127
- overview of, 33
- page breaks in, 136
- page numbers, 139, 251–252
- page orientation, setting, 127
- page setup, changing, 136
- paper size, setting, 139
- previewing, 129, 136
- print preview, 34, 129
- printing, 136
- property sheets, 129, 132
- query-based, 242
- sections, resizing, 245–246
- selecting, 247
- sorting, 126, 137
- structure of, 122
- text box controls in, 129, 245
- themes, applying, 133
- titles, adding, 247
- uses for, 121
- views for, 33
- zooming in on, 34–35

required fields, 166**resetting ribbon customization, 350****resizing**

- columns, 19
- controls, 95
- fields, 61
- Form Header, 183, 188
- form sections, 185
- Help window, xxvi
- report sections, 245
- rows, 61–62
- task panes, 89

restricting data

- via data types, 144. *See also* data types
- to default value, 167
- via field size property, 150
- to list values, 167, 168
- via relationships, 172

restricting databases, 309–313, 323**restricting editing in forms, 300****results datasheets, 361****revealing hidden fields, 62****ribbon**

- button appearance, xvi
- collapsing, 13
- commands on, xv
- commands on, adding/removing, 349
- customizing, 346–347, 350
- decreasing width of, xvi
- defined, 361
- dynamic nature of, xvi
- expanding, 7, 352
- groups, 6, 359
- groups, adding/removing, 348
- hiding, 352
- hiding commands, 7
- minimizing, 7, 352
- overview of, xv, 6
- resetting to original configuration, 350

ribbon tabs, 6

- defined, 361
- removing, 347
- renaming, 349

Rich Text data type, 145, 283**right-aligning labels, 94****rounding values in Number fields, 151****Row Height dialog box, 62****row selectors, 361****rows, 16**

- in forms, selecting, 96
- inserting, 153
- resizing, 61, 62

rulers, turning on/off, 247**rules for formatting reports, 134–135****rules, validation. *See also* expressions**

- asterisks in, 162
- creating, 159, 160
- data types compatible with, 159
- defined, 362
- in Design view, 163
- entering manually, 160
- error messages for, 160, 163

- field-level, 159
- overview of, 159
- record-level, 159, 164
- wildcard characters in, 162

Run button, 32, 215, 219**running Access 2010, 4, 8****running queries, 29–32, 213, 215, 219****S****Save As dialog box, 57, 147****Save As Query dialog box, 119****Save button, 6, 54, 71****Save & Publish page, 324****Saved Imports button, 267****saving**

- forms, 84, 92
- queries, 29
- records, 54–55
- tables, 54, 57, 71
- themes, 85

schemas, XML, 272, 361**ScreenTips**

- customizing display of, 7
- overview of, xxv
- viewing, 7

searching Help, xxviii**searching wildcard character, 113, 115****sections, report, 246****secure passwords, 361****security, 315****security warnings, 8, 14, 361****Select All button, 90, 96, 134****Select button, 238****Select Column button, 94****select queries, 29, 209**

- converting to action queries, 231
- converting to delete queries, 236
- converting to update queries, 233
- creating, 211
- defined, 361
- setting up, 210
- wizards for, 210

Select Row button, 96**selecting**

- adjacent fields, 62, 63
- controls, 80, 185
- controls, all, 90, 96, 134
- fields, 65, 164

selecting (continued)

- Form Header, 183
- multiple columns, 105
- reports, 247
- tables, 58

Selection button, 107**selector bar, 183****selectors, 65**

- form, 359
- record, 361
- report, 361
- row, 361

**separator line, adding to Quick Access
Toolbar, 353****Set Database Password dialog box, 318****setting passwords, 318–319.**

See also passwords

shadow effects in forms, 91**Shape Fill button, 133, 183, 190, 247****Shape Outline button, 194****SharePoint lists**

- exporting data to, 285
- importing data from, 269–271
- linking to databases, 269

shares, network, 360**shortcut menus, restricting, 311****shortcuts, keyboard, 363**

- for copying tables, 231
- for copying text, 292
- for moving controls, 131
- for navigating, 21
- for opening Field List, 185
- for opening Property Sheet, 87, 184, 245
- for pasting text, 293
- for Save As dialog box, 147
- for selecting all, 134

shortcuts to database objects.

See categories; groups

Show All button, xxix**Show row of query design grid, 217****Show Table button, 74****Show Table dialog box, 71, 74, 217, 218****Show Table of Contents button, xxvii****Shutter Bar Open/Close button, 8****Shutter Close button, 18****Shutter Open button, 19, 49****signing database packages, 361****Simple Query wizard, 211****Single field size (Number fields), 149****Size Mode property (controls), 189****Size/Space button, 183, 190, 248, 250****sizing**

- controls, to fit, 184
- form sections, 184
- forms, 195
- program window, 6

slow processing time, 320, 328**Some Data May Not Be Displayed message, 34****Sort row of query design grid, 217****sorting in Access, 106****sorting query results, 214****sorting records, 102, 104**

- alphabetically, 103
- defined, 361
- in forms, 102
- in multiple fields, 102, 105
- with numbers, 106
- removing sort, 104

sorting reports, 126, 137**special key combinations, 311****Specs button, 277****speeding up performance, 320, 328****split databases, defined, 361****Split Forms, 204****splitting cells in layouts, 261****splitting databases, 320–322****spreadsheets, Excel, importing from, 279****SQL databases, 361****SQL queries, 231****square brackets, 234****stacked layouts, 93, 260****standard deviation, calculating, 221****Start button, 4****Start menu, displaying, 4****starting Access 2010, 4, 8****startup pages**

- navigation forms as, 299
- setting, 311

status bar, customizing, 8**StDev function, 221****strings, empty, entering, 166****subdatasheets, 18**

- defined, 361
- expanding, 20
- exporting, 283
- hiding, 20

Subform/Subreport button, 197, 254

subforms, 24. See also forms

- creating, 196–198
- defined, 361
- in Design view, 200
- exporting, 283
- formatting, 201
- overview of, 196

subqueries, 224

SubReport wizard, 254

subreports

- defined, 361
- expressions, adding to, 257
- formatting, 256
- headers/footers, adding, 257
- inserting, 254, 255
- layout considerations, 259
- overview of, 254
- Property Sheet, displaying, 255

– subtract operator, 160

Sum function, 221, 224

summarizing data, 127, 221

Summary Options dialog box, 127

summary queries, 221

survey forms, 205–207

switching views, 21, 27

synchronizing forms and tables, 84

syntax, 361

T

Tab control, 188

Tab Index property, 98

Tab Order button, 98

Tab Order dialog box, 98

tabbed pages, 22, 362

Table button, 54, 58, 71, 145

table relationships

- creating, 70–71
- defined, 361
- deleting, 173
- editing, 73–74
- efficiency of, improving, 172
- enforcing referential integrity, 73
- many-to-many, 70, 359
- one-to-many, 69, 360
- one-to-one, 70, 360
- overview of, 69
- in queries, 214

- restricting data with, 172

- reviewing, before running delete query, 235

Table row of query design grid, 216, 222

Table Tools contextual tabs, 9, 52

tables, 45. See also columns; fields; rows

- AutoNumber field in, 145
- clearing layout, 173
- closing, 13, 20, 57
- copying/pasting, 54, 58, 231
- creating, 54, 71, 145
- creating forms from, 80
- in Datasheet view, 18
- defined, 362
- defining structure of, 53
- deleting, 58
- in Design view, 64
- export formats, 282
- exporting, 285–286
- importing, 267
- linking lookup fields to, 173
- linking to fields, 168
- navigating, 53, 55
- in navigation forms, 298
- newly created, 52
- opening, 9, 17–18, 61
- opening, in Design view, 64, 66
- overview of, 17
- pasting, 292
- populating, 53, 54, 56
- primary key field, 53. *See also* primary keys
- in Print Preview, 39
- in queries, 218
- refreshing data in, 84
- removing from Relationships page, 173
- renaming, 58
- saving, 54, 57, 71
- selecting, 58
- switching between, 81
- undoing data entry, 54
- views for, 17

tabs, 6, 9

- defined, 361
- double-clicking, 13
- removing from ribbon, 347
- renaming, 349

tabular layout, 93, 260

task panes

- opening, 49
- resizing, 89

tasks, for importing data, 267

telephone numbers, input masks for, 151, 154

templates. *See also* application parts

- creating databases from, 47
- defined, 362
- modifying, 46
- overview of, 46
- viewing, 47

testing input masks, 156

text alignment in forms, 94

Text Box button, 257

text box controls

- defined, 362
- disabling, 184
- moving with labels, 185
- overview of, 77
- properties of, 85
- rearranging in reports, 245
- in reports, 129
- resizing, 95
- selecting text in, 81

Text button, 68, 145

text concatenation operator (&), 252

Text data type, 144

Text fields

- adding, 153
- custom formats for, 158
- input masks, 151
- size, changing, 149

Text File button, 276, 288

text files

- exporting, 288, 290
- exporting to, 284
- file extension for, 276
- importing from, 268

Text Formatting dialog box launcher, 11

themes

- applying, 87
- changing, 85
- customizing, 86, 91
- for forms, changing, 183
- mixing and matching, 85
- overview of, 85
- for reports, 133
- saving, 85

Themes button, 85–86, 133, 183

Themes gallery, 86

time format, 147

title bar, 6

Title button, 247

titles, changing, 310

titles, report, adding, 247

Toggle Filter button, 108, 110, 113, 117

tooggling filters, 108

toolbars. *See specific toolbars*

Total row, 221–222

Totals button, 221, 222

transforms

- defined, 362
- for XML data, 273

Trust Center, 344

- macro settings, 15

- opening, 15

- options, setting, 343

Trust Center dialog box, 344

trusted locations list, 15

Trusted Publishers list, 14, 327

turning off Control Wizards, 191

U

Unassigned Objects group, 307

unbound controls, 188, 362

Undo button, 6, 256

undocking, 362

undoing changes, 93, 256

undoing table data, 54

unfreezing fields, 63

Unhide Columns dialog box, 63

unhiding fields, 62

unhiding groups, 308

unique ID fields. *See primary keys*

unique values, extracting from field, 193

Universal Naming Convention (UNC), 362

unmatched queries, 362

unmatched records, finding, 210

Unset Database Password dialog box, 320

Update button, 233

update queries

- backing up before running, 231
- creating, 233
- defined, 362

Use Control Wizards button, 191, 197

user-friendliness, 297

user interface options, setting, 336

V

Validation button, 160, 163, 164

validation rules. *See also* expressions

- asterisks in, 162
- creating, 159–160
- data types compatible with, 159
- defined, 362
- in Design view, 163
- entering manually, 160
- error messages for, 160, 163
- field-level, 159
- overview of, 159
- record-level, 159, 164
- wildcard characters in, 162

validation tests, 166

values

- extracting unique from field, 193
- finding, 110

Var function, 221

variance, calculating, 221

VBA macros, 14, 15

Vertical Tabs layouts (navigation forms), 298

View arrow, 17

View button, 27, 68, 234

View Shortcuts toolbar, 8, 17, 186

views, switching, 17, 21, 27.

See also specific views

W

Web Browser control, 253

Web databases

- aggregate functions in, 221
- creating, 51
- forms for, 78
- layouts, 260
- navigation forms. *See* navigation forms
- objects in, 51
- publishing databases as, 51
- queries in, 221

wildcard characters

- defined, 362
- in searches, 113, 115
- in validation rules, 162

windows, overlapping, 22

wizards. *See specific wizards*

Word documents, exporting data to, 283

workbooks, Excel, exporting data to, 287

worksheets, Excel

- copying and pasting data from, 293
- exporting data to, 283
- importing, 268

X

XML File button, 285

XML files

- example of, 272
- exporting data to, 285
- vs. HTML files, 272
- importing data from, 272
- schema, 272
- transforms for, 273

XML schemas, 272

XPS files, 284

Y

year, default, 148

Yes/No data type, 144–146

Yes/No fields, 148, 167

Z

ZIP codes, data type for, 67

Zoom arrow, 35

Zoom In button, 35

Zoom Level button, 34

Zoom slider, 130

zooming in/out, 34–35, 130

About the Authors

Joyce Cox



Joyce has 30 years' experience in the development of training materials about technical subjects for non-technical audiences, and is the author of dozens of books about Office and Windows technologies. She is the Vice President of Online Training Solutions, Inc. (OTSI).

As President of and principal author for Online Press, she developed the *Quick Course* series of computer training books for beginning and intermediate adult learners. She was also the first managing editor of Microsoft Press, an editor for Sybex, and an editor for the University of California.

Joan Lambert



Joan has worked in the training and certification industry for more than a decade. As President of OTSI, Joan is responsible for guiding the translation of technical information and requirements into useful, relevant, and measurable training and certification tools.

Joan is a Microsoft Office Master (MOM), a Microsoft Certified Application Specialist (MCAS), a Microsoft Certified Technology Specialist (MCTS), a Microsoft Certified Trainer (MCT), and the author of more than two dozen books about Windows and Office (for Windows and Mac).